

Cast Products, Incorporated 18676 N. Jefferson St. Athens, AL 35612

Office: 800.468.2278 Fax: 256.233.6238 www.getcpi.com

To our Customers,

Cast Products, Inc. ("CPI") is an engineering and manufacturing company specializing in cast aluminum products. Our unique line of superior products has served a variety of manufacturers that operate in the emergency medical, fire apparatus, police, specialty vehicle, marine, trailer, and lighting industries. With over 150 highly trained manufacturing personnel and facilities that encompass 85,000 square feet, we are dedicated to meet the growing needs of our current and future customers.

CPI's team of highly trained and dedicated personnel enjoys challenges offered by the innovative needs of our customers. Our Engineering Department and Tooling Specialists use SolidWorks and CNC technology to develop high quality, production-ready patterns in a timely manner. In addition, our sales and customer service staff is always available to provide a personalized service in selecting the right product for your application.

Our 2021 Catalog is filled with product ideas for your selection. If you have a special need which you do not find, if you need help in selecting a product, or if you need additional technical information, we will be happy to help you.

©2021 Cast Products, Inc. Athens, Alabama. Printed in the United States of America. ALL RIGHTS RESERVED. Nothing in this catalog may be reproduced in any manner either, wholly, of in part for any reason whatsoever without the written permission of Cast Products, Inc.



Since 1979



Weight Range: ounces to 25 lbs. Quantities: 1 to 30,000 annual usages Type of Molding: Green Sand Alloys: AL 356.2 and AL 319

-Engineering Department-


- Design Support and feasibility reviews
- Initial cost estimating/quote development
- Reviews of customer 2D and 3D data
- Analysis of part dimensioning and tolerances
- Provide 2D prints & project renderings
- Fixture creation and design secondary machining operations

-Tooling Department-

- Initial pattern design, creation and setup
- Annual maintenance

-The Foundries-

- Green sand molding
- 1 automated Robert Sinto 20x24 molding machine
- 6 manual jolt-squeeze molding machines with 7 standard flask sizes
 - > 12x22: 13x18: 14x14:14x24:16x16
 - ➤ 18x28; 20x24; 22x42; 26x32
- 4 2300 lbs. Thermtronix electric furnaces
- 2 Sand Shell Core Machines (semiautomatic)



-Finishing-

- As Cast
- Grinding
- Polishing
- Vibratory Finishing (VFM)
- Burnishing
- Media blasting
- Shot blasting

-Machining & CNC Department-

- 5 3-axis CNC Machines
 - VMC 6030 and VMC 4020
- Conventional and Complex CNC Machining
- Post machining processes
- Milling, drilling, and tapping

-Available Services-

- Full assembly and sub-assembly capabilities
- Services from qualified outside source(s)
 - Painting & Powdercoating
 - Die-castings & Permanent Mold
 - Chrome Plating
 - Rubber Components rotary, injection, and extruded
 - Metal stampings





Warranty and Returns .

Warranty: General products;

Cast Products, Inc. (CPI) warrants all aluminum castings, stainless steel stampings, aluminum extrusions, rubber or plastic molded products manufactured by CPI to be free of defects due to material and or workmanship sixty days from the CPI shipping date. This warranty does not cover ordinary wear, negligence, alterations or deterioration of surface finish due to lack of cleaning and or polishing in normal use. It is the responsibility of the purchaser / owner to routinely clean and polish the surface of the product to maintain the original shine and luster as delivered.

Warranty: Siren speaker drivers;

Cast Products, Inc. (CPI) warrants all new siren speaker drivers for a period of two years under normal use and service, from the marked product date code to the end user. This warranty does not cover speaker drivers subjected to abuse, misuse, improper operating voltage, modifications or incorrect installations. This warranty does not cover deterioration of the speaker housing surface finish beyond the sixty days as stated for aluminum castings. It is the responsibility of the purchaser / owner to routinely clean and polish the surface of the product to maintain the original shine and luster as delivered.

Warranty: Chrome plated and powder coated castings;

Cast Products, Inc. (CPI) warrants all chrome plated and powder coated castings manufactured by CPI to be free of defects due to material or workmanship for a period not to exceed one (1) year from the CPI shipping date. This warranty does not cover ordinary wear, negligence, or alterations made by the purchaser or deterioration of surface finish due to lack of cleaning and or polishing of the material in normal use. It is the responsibility of the purchaser / owner to routinely clean the surface of the product to maintain the original shine and luster as delivered.


Warranty: Lights / LED Lights;

Cast Products, Inc. (CPI) warrants Lights / LED Lights to be free of defects due to material or workmanship for a period not to exceed one (1) year from the CPI shipping date (Supplier Warranty).

Product Returns Policy:

No product may be returned for credit without the prior authorization from Cast Products, Inc. (CPI). Contact CPI at returns@getcpi.com for a return authorization number to insure proper crediting to your account. Any product returned without the return authorization will be returned freight collect. A minimum restocking fee of 25% may apply. Returns will be inspected for improper packaging and shipping damage and at CPI's discretion; a charge for repairing or refinishing may apply.

This warranty does not cover travel expenses, the cost of specialized equipment for gaining access to the product, or labor charges for removal and re-installation of the product.



	Product Line De	signators	<u> </u>
AD	Access Door	MSP	Marine Stern Port
ADC	Access Door Component	MSS	Marine Stern Starboard
ADM	Access Door Misc	OA	Oxygen Accessories
AH	Assembly Hardware	ОС	Oxygen Cylinder Parts
BC	Bumper Corner	PR	Proprietary Parts
CR	Foundry Core	PRC	Proprietary Component
CPM	CPI Misc	RG	Rubber Gasket
CT	Cutting Templates	RR	Rub Rail End
DH	Door Hardware	SA	Siren Assembly
EB	Enclosed Box	SAD	Siren Assembly Driver
EC	Extrusion Component	SAP	Siren Assembly Passenger
EL	Electronics	SB	Siren Bracket
EX	Extrusion	SC	SIren Cone
EXA	Ex Hsg w- CPI end caps	SD	Siren Driver
EXB	Ex Hsg w- Swivel Brkts	SH	Siren Horn
EXC	Ex Hsg w- Swivel Brkts, Rt side hole	SP	Step
EXD	Ex Hsg w- Swivel Brkts, Lft side hole	SS	Shelf Brackets & Supports
EXE	Ex Hsg w- Angled End Caps-3x4 Lt	ST	Siren Trim
FA	Fire Apparatus	STC	Stretcher Cups
FC	Fire Apparatus Component	STH	Stretcher Hangers
FD	Fenderette	SW	Siren Wedge
FG	Fuel Guards	TA	Traffic Accessories
FGC	Fuel Guard Component	TC	Traffic Components
FR	Flange Ring	TFC	Truck Front Curbside
FS	Flange Spacer	TFS	Truck Front Steetside
HD	Handles	TFU	Truck Front Universal
IV	IV Hanger	TGC	Truck General Casting
LB	Light Bar Bracket	TGR	Truck General Rear
LBC	Light Bar Bracket Component	TMC	Truck Misc. Casting
LC	Light Housing Component	TRC	Truck Rear Curbside
LH	Light Housing Assembly	TRG	Truck Roller Gusset
LP	License Plate Holder	TRR	Truck Rub Rail
MBW	Marine Bow	TRS	Truck Rear Streetside
MC	Modular Corner	TRU	Truck Rear Universal
MCC	Marine Corner Casting	VC	Vent Cover
MGC	Marine General Casting	WC	Wheel Cover
MHB	Marine House Boat	WH	Wheeler Medical

Light Loganda	
<u>Light Legends</u> Light Housing, Weldon 1000 series	LH10
Light Housing, Truck-lite Marker	LH14
Light Housing, Weldon 2000 series	LH20
Light Housing, Weldon 2000 series	LH23
Light Housing, Federal Signal MODLED1	LHZ3
Light	LH24
Light Housing, 2" X 5"	LH25
Light Housing, 2" X 5" Federal Signal VIPER	LH251
Light Housing, Weldon 3020 series	LH32
Light Housing, 3" X 4"	LH34
Light Housing, 3" X 5" Linear Strobe (4E)	LH35
Light Housing, 3" X 7" (7E)	LH37
Light Housing, 3" X 7" (Whelen M Series)	LH37M
Light Housing, Trucklite Dome Light	LH44
Light Housing, 4" X 6"	LH46
Light Housing, 5" X 2" 500 series (500 series)	LH52
Light Housing, 5" X 8"	LH58
Light Housing, 7" X 9" (9E)	LH79
Light Housing, 1500 watt	LH901
Light Housing, 500 watt	LH902
Light Housing, Betts B70A	LH903
Light Housing, Cat's Eye CE600	LH904
Light Housing, Code3 Oscilaser	LH905
Light Housing, Fed Sig TCL, GS2F	LH906
Light Housing, Whelen C-Head	LH907
Light Housing, Guide Arrow	LH908
Light Housing, KD Lamp	LH909
Light Housing, Fireball / Bryte Light	LH910
Light Housing, Grote 4690	LH911
Light Housing, Underbody Lights	LH912
Light Housing, Federal Signal 3600	LH913
Light Housing, Power Arc	LH914
Light Housing, PAR36 Series	LH915

Black Flat В Black Crinkle Coat BC Black High Gloss BHG Black Magic (Dupont) ВМ Midnight Black Wrinkle BW BT Beige (TM) Desert Tan (PPG) DT **UPS Brown** BR Gray GR Anodized Aluminum AA Anodized Gray G3 Silver S Bengal Silver SB Tornado Gray TG White W Pure White PW Scrobe White SW Weathered White WW Safety Yellow SY Traffic Yellow Υ Red R

MC Marine Misc

Powder Coat Colors (-6)

MMC

Finish Call-outs and				
Options:				
Polished	1			
Ground	2			
Brushed and ground	21			
As cast	3			
Wheel-a-brated	4			
Ball-burnished	5			
Ball-burnished and Hard buffed	51			
Powder-coated	6			
Vibratory Finish	7			
Bead-Blasted	8			

WL

Warning Light

Hole Options					
Lock Hole	L				
No Lock Hole	Ν				
1.00" Hole	100				
2.00" Hole	200				
2.25" Hole	225				
2.38" Hole	238				
2.50" Hole	250				
2.63" Hole	263				
3.00" Hole	300				

<u>Application</u>	
Miscellaneous	0
Total Surface Mount	1
Surface Mount	2
Recessed Mount	3
Tilt Down or Forward	4
Bumper Mount	5
Grille Mount	6
Intersection Housing	7
Flush Mount	8
No holes Option	9

Type of Housing

Option Fon	IIut
(Option #1) (Option #2)	— А В
(Option #3)	С
etc	D

Ontion Format

Part Number Examples


Light Housings Part Number as ordered: Bumper Mnt. Light Housing - 3" x 4" LC34501-1 LC34501-1-A Bumper Mnt. Light Housing - 3" x 4" - #8 drilled Housing Application **Finish Product** Code LC 34 5 01 1 Bumper Mnt. Light Housing - 3" x 4" LC 34 5 01 1 Bumper Mnt. Light Housing - 3" x 4" - #8 drilled Light Option Option Series **Part** Designator

Type of Housing Application	
Miscellaneous	0
Total Surface Mount	1
Surface Mount	2
Recessed Mount	3
Tilt Down or Forward	4
Bumper Mount	5
Grille Mount	6
Intersection Housing	7
Flush Mount	8
No holes Option	9

Fuel Fill Guards

Part Number as ordered:


FG4101-1-225-L Fuel Filler Guard, Hinges Left, w/ lid, w/ Lock Hole, 41d. 2 1/4" Hole FG4101-1-225-N Fuel Filler Guard, Hinges Left, w/ lid, w/ No Lock Hole, 41d. 2 1/4" Hole FG4101-1-238-L Fuel Filler Guard, Hinges Left, w/ lid, w/ Lock Hole, 41d. 2 3/8" Hole FG4101-1-238-N Fuel Filler Guard, Hinges Left, w/ lid, w/ No Lock Hole, 41d. 2 3/8" Hole FG4201-1-225 Fuel Filler Guard, 42d. 2 1/4" hole FG4201-2-238 Fuel Filler Guard, 42d. 2 3/8" hole



Siren Speakers

Part Number as ordered:

SA4301-1 Compact Speaker w/ Flat Mounting Flange, "Through-the-Bumper"
SAD5402-97E3-4 Siren Speaker, Driver "Under-the-Bumper" Mount, 97-00 Ford E350
SAP5402-97E3-4 Siren Speaker, Passenger "Under-the-Bumper" Mount, 97-00 Ford E350
SA5211-96TAH-4 Siren Speaker "Under-the-Bumper" Mount, 96-99 Chevy K1500 Tahoe



Contents

Cont	 1
Access Doors	<u>Fuel Filler</u> <u>Guards</u>
Access Door Miscellaneous	Flange Rings
Bumper Corners	Flange Spacers
Door Hardware	Glove Boxes
Enclosures and Boxes	<u>Handles</u>
Fire Apparatus	IV Hangers
Fenderettes	<u>Light Bar</u> <u>Brackets</u>

Light Housings		<u>Steps</u>
<u>License Plate</u> <u>Holders</u>		Shelf Supports
Modular Corners		Stretcher Cups
Oxygen Cylinder and Accessories		Stretcher Hangers
Rubber Gaskets		Vent Covers
Rub Rail End Caps	Light Housing Compatibility List (in excel format)	Warranty Information
Siren Speakers	Siren Speaker Compatibility List (in excel format)	Part Index

Table of Contents

				DH0050	48
MALA D.D. A NUTW. A N.D. D.	NICO	A COROG DOOD		DH0051	48
WARRANTY AND RETURNS3		ACCESS DOOR		DH0052	49
		MISCELLANEOUS	32	DH0052-B	49
CONTENTS	7	ADC0141	32	DH0053	50
		ADM0001	32	DH0054	50
TADLE OF CONTENES	0	ADM0002	33	DH0058	50 51
TABLE OF CONTENTS	9	ADM0004	33	DH0038	31
ACCESS DOORS	16	BUMPER CORNERS	34	ENCLOSED BOXES	51
AD0001	16	BC0001	34	EB0001	51
AD0002	16	BC0002	34	EB0002	52
AD0003	16	BC0003	34	EB0003	52
AD0004	17	BC0006	35	EB0004	52
AD0005	17	BC0010	35	EB0005	53
AD0006	17	BC0011	35	EB0006	53
AD0007	18	BC0012	36	EB0007	53
AD0008	18	BC0013	36	EB0008	54
AD0009	18	DC0013	30	EB0009	54
AD0010	19			EB0010	55
AD0011	19	BACKUP CAMERA		EB0011	55
AD0012	19	HOUSINGS	36	EB0012	56
AD0013	20	BCH0001	37	EB0013	56
AD0014	20	BCH0002	37	EB0014	57
AD0015	20			EB0015	58
AD0016	21	DOOR HARDWARE	38	EB0016	59
AD0017	21	DH0001	38	EB0017	60
AD0018	21	DH0001	38		
AD0019	22	DH0006	38	FIRE APPARATUS	60
AD0020	22	DH0007	39	FA0002	60
AD0021	22	DH0007	39 39	FA0002 FA0004	61
AD0022	23	DH0011	39 39		_
AD0023	23	DH0011 DH0016 and -A	40	FA0006	61 62
AD0025	23		40	FA0012	_
AD0026	24	DH0017 and -A	_	FA0013	62
AD0027	24	DH0018 and -A DH0019 and -A	41 41	FA0018	62
AD0028	24			FA0019	63
AD0029	25	DH0020 and -A	42	FA0020	63
AD0030	25	DH0022 and -A	42	FA0021	63
AD0032	26	DH0024	43	FA0026	64
AD0032 AD0034	26	DH0025	43	FA0027	64
AD0035	27	DH0028	43	FA0028	64
AD0037	27	DH0029	44	FA0029	65
AD0037 AD0038	28	DH0030	44	FA0031	65
AD0038 AD0039	28	DH0031	44	FA0032	65
AD0039 AD0040		DH0032	45 45	FA0035	66
	29 20	DH0033	45 45	FA0036	66
AD3001	29 20	DH0036	45	FA0040	67
AD2001	30 31	DH0041 and -A	46	FA0041	67
AD2002	31	DH0042	46	FA0042	68
		DH0043	47	FA0030	68
		DH0046	47	FA0037 69	

	ا مم		0.0		
FA0043	69	FUEL FILLER GUARDS	90	FG5704	117
FA0039	70	FG0001	90	FG6501	117
FA0044	70	FG0002-A	91	FGL0022 FGL0042 FGL0053	118
FA0045	71	FG0002-B	91	FGT0022 FGT0042 FGT0053	119
FA2002	71	FG0003	92		
FA2003	72	FG0006-2_Cyl_Lock	93	FLANGE RINGS	119
FA2004	72	FG0006-2_Friction	94	FR0001	120
FA2005	72	FG0501	95	FR0006	120
FA2006	73	FG0901	95	FR0009	120
FA2011-5 FA2011-5-A	73	FG1501	96	FR0010	121
FA4003	74	FG1801	96	FR0011	121
FA4004	74	FG2001	97	FR0012	121
FA4005	74	FG2101	97	FR0013	122
FA4007	75	FG2102	98	FR0014	122
FA4008	75	FG2103	98	FR0015	122
FA4010	75	FG2104	99	FR0021	123
FA4011	76	FG2201	99	FR0022	123
FA4012	76	FG2204	100	FR0025	123
FA4013	76	FG2205	100	FR0026	124
FA4014	77	FG2206	101	FR0027	124
FA4014-A	77	FG2207	102	FR0028	124
FA4015	78	FG2208	102	FR0029	125
FA4015-A	78	FG3001	103	FR0030	125
FA4016	79	FG3101	103	FR0041	125
FA4016-A	79	FG4101	103	FR0042	126
FA4018	80	FG4102	104	FR0043	126
FA5001	80	FG4103	104	FR0044	126
FA5002	81	FG4104	104	FR0045	127
FA5003	81	FG4201	105	FR0046	127
FC4002	82	FG4202	105	FR0047	127
FC4003	82	FG4204	106	FR0048	128
FC4004	82	FG4205	107	FR0049	128
FC4005	83	FG4501	108	FR0051	129
		FG4502	108	FR0052	129
FENDERETTES	83	FG4503	109	FR0054	130
FD1002	83	FG4504	109	FR1004	130
FD1004	83	FG5301	110	FR101294021	131
FD1005	84	FG5302	110	FR101294022	131
FD1006	84	FG5303	110		
FD1007	84	FG5304	111		
FD1008	85	FG5305	111	FLANGES AND SPACER	
FD1009	86	FG5306	112	FS0002	132
FD1010	86	FG5307	112	FS0003	132
FD1011	87	FG5308	112		
FD1012	87	FG5309	113	GLOVE BOXES	133
FD1013	88	FG5310	113	PL1015	133
FD1014	88	FG5501	113	PL1016	134
FD1014 FD1015	89	FG5502	114	PL1017	135
FD1016	89	FG5503	114		
FD1017	90	FG5504	115	HANDIEC	194
101/	30	FG5701	115	HANDLES	136
		FG5703	116	HD0002	136
00001 G . D . 1	11.5.1.5			HD0005 136	

		1	Ī		
HD0007	136	LB0031	155	LH37101	175
HD0008	137	LB0032	155	LH37102	176
HD0009	137	LB0033	156	LH37104	176
HD0010	137	LB0034	156	LH37105	176
HD0011	138	LB0041-A	157	LH37106	177
HD0012	138	LB0041-B	158	LH37107	177
HD0013	138	LB0045	159	LH37108	177
HD0015	139	LB0048	159	LH37109	178
HD0016	139	LB0049-A	160	LH37110	178
HD0019	139	LB0049-B	160	LH37111	178
HD0020	140	LB0051 LB0052	161	LH37201	179
HD0022	140	LB0053 LB0054	161	LH37202	179
HD0027	140	LB0057 LB0058	162	LH37203	179
HD0028	141	LB0059 LB0060	163	LH37205	180
HD0029	141			LH37206	180
HD0030	141	LIGHT HOUSINGS	164	LH37208	180
HD0031	142	Weldon 1000 Series	164	LH37209	181
HD0035	142	LH0010	164	LH37210	181
HD0041	142	LH10101	164	LH37213	181
HD0045	143			LH37214	182
HD0046	143	LH10201 1" x 4" Marker Lights	165	LH37225 LH37226	182
HD0047	144	-	165	LH37227 LH37228	183
HD0050 HD0051	144	LH14701	165	LH37229 LH37230	183
HD0052	145	LH14702	165	LH37231 LH37232	184
HD0053	145	Weldon 2000 series	166	LH37233 LH37234	185
HD4001-1	146	LH20101	166	LH37235 LH37236	186
HD4002-1	146	LH20103	166	LH37237 LH37238	187
		LH20104	167	LH37239 LH37240	188
IV HANCEDS	146	LH20105	167	LH37241 LH37242	189
IV HANGERS	146	LH20201	167	LH37243 LH37244	190
IV2001	147	LH20205	168	LH37245 LH37246	191
IV2002	147	LH20206	168	LH37247 LH37248	192
IV2007	148	Weldon 2030 Series	168	LH37251	193
IV2008	149	LH23201	169	LH37252	193
		LH23202	169	LH37253 LH37254	194
LIGHT BAR BRACKETS	149	LH23501	169	LH37301	194
LB0004	150	Weldon 3020 Series	170	LH37501	194
LB0005	150	LH32101	170	LH37502	195
LB0006	150	LH32102	170	LH37607	195
LB0011	151	LH32201	171	LH37611	195
LB0013	151	LH32301	171	LH37612	196
LB0019	151	3 x 4 Light Housings	171	LH37620	196
LB0020	152	LH34203	172	LH37621	196
LB0021	152	LH34M4701 LH34M4702	172	LH37630	197
LB0022	152	LH35101	173	LH37631	197
LB0023	153	LH35202	173	LH37632	197
LB0024	153	LH35603	173	LH37633	198
LB0025-A	153	LH35604	174	LH37638	198
LB0025-B	154	LH35703	174	LH37639	198
LB0026	154	LH35704	174	LH37640	199
LB0028	154	LH35709 LH35710	175	LH37641	199
LB0029	155	3" x 7" Light Housings	175	LH37642	199
		LH37008	175	1.107 0 TE	133

LH37643	200	LH37792 LH37793	222	LH52001	240
LH37646	200	LH37794 LH37795	222	LH52501	240
LH37647	200	LH37796 LH37797	223	LH52503	241
LH37650 LH37651	201	LH37798 LH37799	223	LH52605 LH52606	241
LH37656 LH37657	201	LH37M101	224	LH52609 LH52610	242
LH37658 LH37659	201	LH37M601 LH37M602	224	LH52611 LH52612	242
LH37662 LH37663	202	LH37M705 LH37M706	225	LH52615 LH52616	243
LH37664 LH37665	202	4" x 6" Light Housings	225	LH52617 LH52618	243
LH37666 LH37667	203	LH46001	225	LH52619 LH52620	244
LH37668 LH37669	203	LH46103	226	LH52621 LH52622	244
LH37670 LH37671	204	LH46104	226	LH52623 LH52624	245
LH37672 LH37673	204	LH46105	226	LH52625 LH52626	245
LH37674 LH37675	205	LH46106	227	LH52627 LH52628	246
LH37676 LH37677	205	LH46107	227	LH52703	246
LH37678 LH37679	206	LH46109	227	LH52704	247
LH37701	206	LH46110	228	LH52707 LH52708	247
LH37702	207	LH46111	228	LH52709 LH52710	248
LH37703	207	LH46112	228	LH52711 LH52712	248
LH37712	207	LH46113	229	LH52713 LH52714	249
LH37713	208	LH46114	229	LH52715 LH52716	249
LH37722	208	LH46115	229	LH52717 LH52718	250
LH37723	208	LH46116	230	LH52719 LH52720	250
LH37734	209	LH46117	230	5" x 8" Light Housings	251
LH37735	209	LH46118	230	LH58201	251
LH37736	209	LH46119	231	7" x 9" Light Housings	251
LH37737	210	LH46120	231	LH79101	251
LH37738	210	LH46121	231	LH79102	251
LH37739	210	LH46122	232	LH79103	252
LH37744	211	LH46123	232	LH79104	252
LH37745	211	LH46124	232	LH79105	252
LH37746 LH37747	211	LH46125	233	LH79106	253
LH37748 LH37749	212	LH46126	233	LH79107	253
LH37750 LH37751	212	LH46127	233	LH79108	253
LH37752 LH37753	212	LH46128	234	LH79110	254
LH37754 LH37755	213	LH46129	234	LH79201	254
LH37756 LH37757	213	LH46130	234	LH79202	254
LH37758 LH37759	213	LH46131	235	LH79205	255
LH37762 LH37763	214	LH46132	235	LH79207	255
LH37764 LH37765	214	LH46201	235	LH79209	255
LH37766 LH37767	215	LH46202	236	LH79210	256
LH37768 LH37769	215	LH46301	236	LH79211	256
LH37770 LH37771	216	LH46501	236	LH79215 LH79216	256
LH37772 LH37773	216	LH46502	237	LH79217 LH79218	257
LH37774 LH37775	217	LH46601	237	LH79219 LH79220	257
LH37776 LH37777	217	LH46602	237	LH79221 LH79222	258
LH37778 LH37779	218	LH46603	238	LH79223 LH79224	259
LH37780 LH37781	218	LH46604	238	LH79225 LH79226	259
LH37782 LH37783	219	LH46707	238	LH79227 LH79228	260
LH37784 LH37785	219	LH46708	239	LH79229 LH79230	260
LH37786 LH37787	220	LH46709	239	LH79301	261
LH37788 LH37789	221	LH46710	239	LH79302	261
LH37790 LH37791	221	2" x 5" Light Housings	240	LH79304	261
			1		


LH79311	262	MC0090	278	RG0063	298
Misc. Lights	262	MC0091	279	RG0064	298
LH90201	262	MC0094	279	RG0076	299
LH90301	262	MC0096	280	RG0077	299
LH90405	263	MC0097	280	RG0078	299
LH90504	263	MC0098	281	RG0079	300
LH90603	263	МС0099	281	RG0080	300
LH90902	264	MC0101	282	RG0081	300
LH91102	264	MC0102	282		
LH91201	264	MC0103	283	RUB RAIL END CAPS	301
LH91203	265	MC0104	283		
LH91401	265	MC51145	284	RR0001	301
				RR0007	301
LICENSE PLATE HOLD	EDC	OXYGEN CYLINDER		RR0010	301 302
LICENSE FLATE HOLD		ACCESSORIES	204	RR0012	
10000	265		284	RR0013	302
LP0002	265	OA0002	284	RR0014	302
LP0002-C	266	OA0003	284	RR0024	303
LP0004	266	OA0004	285	RR0027	303
LP0004-B	267	OA0005	285	RR0034	303
LP0005	267	OA0006	285	RR0035 RR0036	304
LP0005-C	268	OA0007	286	RR0037 RR0038	304
LP0007	268	OA0008	286	RR0040 RR0041	305
LP0009	269	OA0009	286	RR0042	305
LP0013	269	OA1101 OA1102 OA1103 OA		RR0043	306
LP0014	270	OA1104 OA1105	288	RR0044	306
		OA1201 OA1202	289	TRR0002	307
MODULAR CORNERS	270	OA1205	290		
MC0001	270			SIREN SPEAKERS	307
MC0003	271	RUBBER GASKETS	291	SA1000 Series	307
MC0005	271	RG0005	291	SA1502	307
MC0010	271	RG0007	291	SA2000 Series	308
MC0011	272	RG0013	291	SA2201	308
MC0017	272	RG0014	292	SA2301	308
MC0021	272	RG0015	292	SA2208	308
MC0023	273	RG0016	292	SA2401	309
MC0026	273	RG0017	293	SA2403	309
MC0027	273	RG0020	293	SA2405	309
MC0028	274	RG0021	293	SA3203	310
MC0033	274	RG0025	294	SA3000 Series	310
MC0037	274	RG0026	294	SA3501	310
MC0052	275	RG0030	294	SA3502	310
MC0061	275	RG0033	295	SA3503	311
MC0063	275	RG0034	295	SA3504	311
MC0071	276	RG0035	295	SA3801	312
MC0075	276	RG0036	296	SAD3201 SAP3201	312
MC0076	276	RG0037	296	SAD3801 SAP3801	313
MC0077	277	RG0040	296	SAD3802 SAP3802	313
MC0079	277	RG0043	297	SAD3803 SAP3803	314
MC0080	277	RG0048	297	SA3804	314
MC0083	278	RG0050	297	SAD3805 SAP3805	315
MC0089	278	RG0057	298	SAD3806 SAP3806	315
		•		•	

	•				
SAD3807 SAP3807	316	SA6114	336	SP2024	361
SAD3808 SAP3808	316	SA6117	337	SP2025	361
SAD3809 SAP3809	317	SA6118	338	SP2026	361
SAD3810 SAP3810	317	SA6300	339	SP2027	362
SAD3811 SAP3811	318	SAD6007 SAP6007	339	SP2028	362
SAD3813 SAP3813	318	SAD6301 SAP6301	340	SP2029	362
SAD3815 SAP3816	319	SAD6302 SAP6302	340	SP2030	363
SAD3819 SAP3820	319	SAD6303 SAP6303	341	SP2032	363
SAD3821 SAP3822	320	SA7000 Series	341	SP2033	363
SAD3823 SAP3824	320	SA7001	341	SP2034	364
SAD3826 SAP3825	321	SA7001-A	342	SP2035	364
SAD3827 SAP3828	321	SA7003	342	SP2036	365
SAD3829 SAP3830	322	SA7004	343	SP2037	365
SA4000 Series	322	SA7006	343	SP2038	366
SA4201	322	SA7007	343	SP2041	366
SA4204	323	SA7010	344	SP2042	367
SA4206	323	SA7011	344	SP2043	367
SA4208	323	SA7101	345	SP2701	368
SA4209	324	SH0001	346	SP2702	368
SA4210	324			SP2901	369
SA4225	325	STEPS	346	SP3001	369
SA4226	325	SP0003	346	SP3002	370
SA4227	326	SP0004	347	SP3003	370
SA4301	326	SP2001	347	SP4301	370
SA4303	327	SP2002	347	SP4401	371
SA4305	327	SP2003	348	SP4410	371
SA4306	327	SP2003-B	348	SP4500	372
SA4310	328	SP2004	349	SP6610	372
SA4311	328	SP2004-D	349		
SA4316	328	SP2004-TB	350	SHELF SUPPORTS	373
SA4317	329	SP2006	350	SS0001	373
SA4401	329	SP2006-B	351	SS0001-A -B -C -D -E	373
SA4402	329	SP2007	351	SS0002	374
SAD4302 SAP4302	330	SP2007-B	352	SS0003	374
SAD4307 SAP4307	330	SP2008	352	SS0004	374
SAD4308 SAP4308	330	SP2009	353	SS0005	375
SAD4309 SAP4309	331	SP2009-B	353	SS0007	375
SAD4312 SAP4312	331	SP2010	354	SS0014	375
SAD4314 SAP4314	331	SP2010-B	354	SS0018	376
SAD4318 SAP4318	332	SP2011	355	SS0019	376
SAD4319 SAP4319	332	SP2011-C	355	SS0022	376
SAD4321	333	SP2012	356	SS0025	377
SA5000 Series	333	SP2012-D	356	SS0028	377
SA5403	333	SP2013	357	SS0031	377
SA5414	334	SP2013-B	357	SS0031 SS0034	377
SA5501	334	SP2014	358	SS0037	378
SAD5401 SAP5401	334	SP2014-B	358	SS0037	379
SA6000 Series	335	SP2014-B SP2016	359	SS0039	379
SA6004	335	SP2016-B	359	SS0040	380
SA6011	335	SP2017	360	SS0040 SS0041	380
SA6016	336	SP2017 SP2018	360	TA4100	381
SA6113	336	SP2018 SP2023	360	144100	201
	l	J1 2023	300		

TMC0024	381	TMC1048	398	STH2024	406
TMC0027	382	TMC1049	398	STH2025	407
TMC0053	382	TMC1050	399	STH2026	407
TMC0054	383			STH2027	408
TMC0056	383	STRETCHER CUPS	399	STH2028	408
TMC0058	384	STC0001	399	STH2029	409
TMC0060	384	STC0002	400		
TMC0062	385	STC0002	400	VENT COVERS	409
TMC0069	386	STC0005	400	VC0001	409
TMC0086	386	STC0006	401	VC0002	410
TMC0090	387	STC0008	401	VC0002 VC0003	410
TMC1007	388	STC0014	401	VC0004	410
TMC1008	388	STC0017	402	VC0007	411
TMC1009	389	STC0019	402	V C C C C C C C C C C C C C C C C C C C	711
TMC1010	389	3100013	402		
TMC1012	390			LED LIGHTS AND	
TMC1025	391	STRETCHER HANGERS	403	ACCESSORIES	411
TMC1026	392	STH2001 thru STH2009	403	WL0501 series LED lights and	
TMC1027	393	STH2010 thru STH2017	403	accessories	412
TMC1039	393	STH2018	404		
TMC1040	394	STH2019	404	WARRANTY AND RET	URNS
TMC1043	395	STH2020	404		413
TMC1044	396	STH2021	405		
TMC1045	397	STH2022	405	INDEX	44.4
TMC1046	397	STH2023	406	INDEX	414

Access Doors

AD0001







AD0001

Access Door with Hinged Flange

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- Optional 3/4" hole for cylinder lock (customer specify). Lock not provided.

AD0002







AD0002

Deep Access Door with Hinged Flange

- 1) Concealed hinges.
- 2) Finish: outside flange polished. lid 120 grit directional around.
- 3) Optional 3/4" hole for cylinder lock (customer specify). Lock not provided.

AD0003






AD0003

Access Door with Hinged Flange and Gasket Seal

- All concealed hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- Product sold with Southco 100
 Series lock installed.




AD0004

Access Door with Hinged Flange

- All concealed mounting nardware and hinges.
- Finish: outside flange polished, lid - 120 grit directional ground.
- 3) Non-locking design.

AD0005






AD0005

Access Door with Hinged Flange for O₂ Bottle Compartment

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- Will accept up to an 8" diameter Oxygen bottle.
- 4) Slam Lock design.

AD0006



AD0006

Access Door with Hinged Flange for O₂ Bottle Compartment

- All concealed mounting hardware and hinges.
- Finish: outside flange polished, lid - 120 grit directional ground.
- Will accept up to an 8" diameter Oxygen bottle.
- 4) Slam Lock design.

AD0007 8.05 6.75 #10 CLR #10-24 TAP (2 REQD) (2 REQD) (2 REQD) (1,00




AD0007

Access Door with Hinged Flange for O₂ Bottle Compartment

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground
- 3) Will accept up to an 8" Oxygen bottle.

m - Lock design.

AD0008




AD0008

Access Door with Hinged Flange for O₂ Bottle Compartment

- All concealed mounting hardware and hinges.
- 2) Finish: outside flange polished. lid - 120 grit directional ground
- Will accept up to an 8" Oxygen bottle.
- 4) Slam Lock design.

AD0009







AD0009

Access Door with Hinged Flange

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- 3) Slam Lock design.








AD0010

O₂ Bottle Door with 1 3/4" Thick Flange (8" Tube)

- All concealed mounting hardware and hinges.
- Finish: outside flange polished, lid 120 grit directional
 ground,
- 3) Designed for aiding in the construction of the oxygen bottle compartments by welding the 8" aluminum tube (1/8" thick wall) to the backside of the flange.
- 4) Slam Lock design.

AD0011




AD0011

Polished O₂ Bottle Door with 1 3/4" Thick Flange (8" Tube)

- All concealed mounting hardware and hinges.
- Finish; outside flange & lid polished .
- 3) Designed for aiding in the construction of the oxygen bottle compartments by welding the 8" aluminum tube (1/8" thick wall) to the backside of the flange.
- 4) Slam Lock design

AD0012






AD0012

O₂ Bottle Door with 1 1/8" Thick Flange (8" Tube)

- All concealed mounting hardware and hinges.
- 2) Finish: outside flange & lid polished
- 3) Designed for aiding in the construction of the oxygen bottle compartments by welding the 8" aluminum tube (1/8" thick wall) to the backside of the flange.
- 4) Slam Lock design.






AD0013

O2 Bottle Door with 1 3/8" Thick Flange (8" PVC Tube)

- All concealed mounting hardware and hinges.
- Finish: outside flange polished.
- lid 120 grit directional ground.
- 3) Designed for aiding in the construction of the oxygen bottle compartments by attaching the 8" PVC tube to the backside of the flance.
- Product sold with Southco adjustable lever latch installed.

AD0014






AD0014

O2 Bottle Door with 1 3/8" Thick Flange (8" Tube)

- Mounting hardware and hinges concealed
- Finish: outside flange polished.
- lid 120 grit directional ground
- 3) Designed for aiding in the construction of the oxygen bottle compartments by welding 8" aluminum tube (1/8" thick wall) to the backside of the flange.
- 4) Constructed with 1/4" cord gasket
- to help seal the tube from dust, etc.
- Product sold with Southco adjustable lever latch installed.

AD0015






AD0015

O2 Bottle Door with 1 5/8" Thick Flange (10" diameter tube)

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid - 120 grit directional ground.
- 3) Designed for aiding in the construction of the oxygen bottle compartments by welding the 10" ID (10 1/4" OD) aluminum tube to the backside of the flange.
- Slam Lock design.




AD0016

O₂ Bottle with 1 3/4" Thick Flange (8" diameter tube)

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid - 120 grit directional ground.
- Designed for aiding in the construction of the oxygen bottle compartments.
- Product sold with Southco adjustable lever latch installed.

AD0017




AD0017

O₂ Bottle with 2 3/4" Thick Flange (for 8" tube)

- 1) All concealed mounting hardware and hinges.
- Finish: outside flange & lid polished.
- Constructed with 1/4" cord gasket to help seal tube from dust, etc...
- Product sold with Southco adjustable lever latch installed.

AD0018




AD0018

Double O₂ Bottle with 1 3/4" Thick Flange (8"


tube)


- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid - 120 grit directional ground.
- 3) Designed for alding in the construction of the oxygen bottle compartments by welding the 8" aluminum tube (1/8" thick wall) to the backside of the flange.
- 4) Slam Lock design.





AD0019 Fill Tower Cap Door with Hinged Flange


- All concealed mounting hardware and hinges.
- Finish: outside flange polished, lid 120 grit directional
 ground.
- Designed to mount on a flat, horizontal surface and with a drip rall on the inside to help keep water out.


















AD0026 Oil Primer Bottle Door w/ Hinged Flange

- All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- Designed with "sight glass" opening for Fill level and will open 30° for easy filling of bottle.
- 4) Designed for use with the Hale Fire Pump Primer Bottle.
- Product sold with Southco adjustable lever latch installed.











AD0029 Dual Access Door with Lever Latch

- 1) 1) All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 around.
- Designed with two 6" access holes in flange.
- Product sold with 2 Southco adjustable lever latches installed.

AD0030









AD0030 Ladder Control Door with Lever Latch

- 1) 1) All concealed mounting hardware and hinges.
- Finish: outside flange polished. lid 120 grit directional
 ground.
- Constructed with 1/4" cord gasket to help seal from dust, etc.
- Product sold with Southco adjustable lever latch installed.







- Ø0.20 HOLE x8


AD0035 Access Door Flange and Lid (for 7.6" ID x 8.00" OD Tube)

- All concealed mounting hardware and hinges.
- Finish: outside flange is polished, Lid is 120 grit directional ground.
- Uses Southco Std. Lever
 Latch.
- 4) For 7.60" ID x 8" OD Tube.




AD0038 Access Door Flange and Lid 1) Finish: Exterior flange is polished. Lid is 120 grit directional ground. 2) All concealed mounting hardware and hinges. 3) Uses standard Southco weatherproof Lever latch. 4) Standard 1/4" cord gasket with lid.











Options:
Lid: Brushed or polished finish.
Chrome Latch: with or w/o key.
Painted Grey Latch: with or w/o key.
Weatherproof Latch: with or w/o key.

AD2001

Stainless Access Door Flange, Lid and Rotary molded tube.

- All concealed mounting hardware. Stainless Piano Hinge.
- Thick Rubber Gasket for sealing Flange to Lid. Rubber Gasket for mounting to rear of Rotary molded SCBA tube.
- 3) Nylon Safety Strap included.
- 4) provided with two .50" holes in flange (with plastic plugs) for door open switches (not included).
- 5) 8" ID Rotary Molded Tube.






Options:

Lid: Brushed or polished finish. Chrome Latch: with or w/o key. Painted Grey Latch: with or w/o key. Weatherproof Latch: with or w/o key.


AD2002


Double Stainless Access Door Flange, Lid and Rotary molded double tube.


- 1) All concealed mounting hardware. Stainless Piano Hinge.
- 2) Thick Rubber Gasket for sealing Flange to Lid. Rubber Gasket for mounting to rear of Rotary molded SCBA tube.
- 3) Nylon Safety Strap included.
- 4) provided with two .50" holes in flange (with plastic plugs) for door open switches (not included).
- 5) 8" ID Rotary Molded Double-Tube.



Access Door Miscellaneous









ADM0002 8" Tube Cap

- Finish: Bead Blasted (Light Gray).
- Designed for aiding in the construction of the oxygen bottle compartments by attaching the 8" PVC tube to the cap.



Bumper Corners


BC0001



BC0001 Bumper Corner Cover

- Finish: Bright polished.
 Preferred method of installation: Tack weld from
- underneath.
- 3) Nominal thickness of 1/4".


BC0002



BC0002 Bumper Corner Cover


- 1) Finish: Bright Polished.
- 2) Preferred Installation: Tack weld from underneath.
- 3) Nominal Thickness of 1/4".


BC0003





BC0003 Bumper Corner Cover


- 1) Finish: Bright Polished.
- 2) Preferred Installation: Tack weld from underneath.
- 3) Nominal Thickness of 1/4".












Backup Camera Housings

BCH0001






BCH0001

Backup Camera Housing Shroud 5.75" W x 4.77" T x 3.18" D (Open back - wedge shaped)


1) Finish: Exterior surfaces are polished.






BCH0002







BCH0002


Backup Camera Housing Shroud 6.80" W x 4.37" T x 3.10" D (Open back - oval shaped)


1) Finish: Exterior surfaces are polished.



Door Hardware

DH0001







DH0001 Door Latch Cover Plate

- 1) Finish: Available ground and brushed or ball-burnished.
- 2) Other sizes available upon request.

DH0002








DH0002 Door Latch Cover Plate

- 1) Finish: Available ground and brushed or ball-burnished.
- 2) Other sizes available upon request.


DH0006 DH0006 Door Striker Plate 0.59 0.70 0.38 -0.50 1) Finish: Wheel-a-brated. 2.00 2.12 2.50 0.06 Ø0.20 (DIMPLES ONLY) (5 PLC.) 38.63°







DH0016 and -A



DH0016 and -A Door "Grabber" Assembly (3.66" Base to Base)



DH0017 and -A DH0017 and -A Door "Grabber" Assembly (4.75" Base to Base) Part #: Finish: 1) Finish: Polished and Chrome Plated exterior (to CASS DH0017-1CH Diecast, Chrome-Plated 24 specifications). 1) Finish: Polished and Chrome Plated exterior (to CASS Diecast, Chrome-Plated, w/ DH0017-1CH-A 24 specifications). 2) Supplied with Rubber Mounting Rubber Gasket Set Gaskets (Round and Oval). DH0017-1-U AL356, Polished 1) Finish: Polished exterior. AL356, Polished, w/ Rubber 1) Finish: Polished exterior. 2) Supplied with Rubber DH0017-1-UA Gasket Set Mounting Gaskets (Round and Oval), DH0017-5 AL356, Ball-Burnished 1) Finish: Ball-Burnished exterior. AL356, Ball-Burnished w/ 1) Finish: Ball-Burnished exterior. 2) Supplied with DH0017-5-A Rubber Gasket Set Rubber Mounting Gaskets (Round and Oval).


DH0018 and -A


User modified


Oval Gasket (Trimmed sides)





DH0018 and -A Door "Grabber" Assembly w/ Narrow Base (3.66" Base to Base)



























DH0032




DH0032

D-Ring Spacer (2 Piece set)

- 1) Finish: 120 grit ground or polished.
- 2) Serves as a spacer where D-Ring type latches and handles are used on thin compartment doors.


DH0033



DH0033 D-Ring Spacer (2 Piece set)

- 1) Finish: 120 grit ground or polished.
- 2) Serves as a spacer where D-Ring type latches and handles are used on thin compartment doors.


DH0036





DH0036 Squad Bench Latch Spacer


- 1) Finish: 120 grit ground or polished.
- 2) Serves as a spacer where D-Ring type latches and handles are used on thin compartment doors.


DH0041 and -A































Enclosed Boxes






EB0002 Phone Box

- All concealed mounting hardware and hinges.
- 2) Finish outside flange polished.
- id 120 grit directional ground.

EB0003




EB0003

Phone Box

- All concealed mounting hardware and hinges.
- 2) Finish outside flange polished. lid - 120 grit directional ground.


EB0004



EB0004

Microphone Box with Slam Latch

- All concealed mounting hardware and hinges.
- Finish outside flange polished.
 Iid 120 grit directional ground.
- 3) Standard Slam-Latch.




EB0005

Aerial Switch Panel Access Box with Hinged Flange

- All concealed mounting hardware and hinges.
- hardware and hinges.

 2) Finish outside flange polished.
- lid 120 grit directional ground.
- One 3/16" hole drilled at the top or bottom for the mounting of the lamp. This allows for the door to be mounted for Left or Right handed openings.


EB0006



EB0006 Aerial Switch Panel Access Box with Hinged Flange


- All concealed mounting hardware and hinges.
- 2) Finish outside flange polished.
- lid 120 grit directional ground.
- 3) One 3/16" hole drilled at the top or bottom for the mounting of the lamp. This allows for the door to be mounted for Left or Right handed openings.

EB0007



EB0007 Outrigger Control Box with Lever Latch and Seal


- All concealed mounting hardware and hinges.
- Finish: Outside flange polished. lid - 120 grit directional ground.
- 3) Uses 1/4" rubber cord gasket in back of lid.
- Product sold with Southco adjustable lever latch installed.



EB0008 Outrigger Control Box with Lever Latch and Seal

- All concealed mounting hardware and hinges,
- Finish: Outside flange polished, lid - 120 grit directional ground.
- 3) Uses 1/4" rubber cord gasket in back of lid.
- Product sold with Southco adjustable lever latch installed.


EB0009 Water Fill Enclosed Box 1) All concealed mounting hardware and hinges. 2) Finish: Outside flange - polished. lid - 120 grit directional ground. 3) Product sold with Southco 100 series latch installed.



Microphone Box w/ Gasket Seal w/ Southco Lever Latch

- All concealed mounting hardware and hinges.
- Finish: Outside flange polished. lid - 120 grit directional ground.
- 3) Uses 1/4" rubber cord gasket in back of lid.
- Product sold with Southco adjustable lever latch installed.

EB0011 EB0011 Ø1.25 4.37 Phone Box w/ Lid and - 3.06 2.97 Gasket (2 1/2" deep) 1) All concealed mounting hardware 3,10 4.65 and hinges. 2) Finish: Outside flange - polished. lid -120 grit directional ground. 3.64 3) Uses 1/4" rubber cord gasket in back of lid. 15.81 5.28 13,43 0.53 3.53 4.65 3.17 0.67 1.04 Ø0.20 HOLE X8 Ø0.156 HOLE X2




EB0012

Headset Box w/ Lid, Door Gasket and Weatherproof Southco Lever Latch (Non-locking)

- All concealed mounting hardware and hinges.
- Finish: Outside flange polished, lid - 120 grit directional ground.
- 3) Uses 1/4" rubber cord gasket in back of lid.
- Product sold with Weather proof Southco adjustable lever latch installed (non-locking).

EB0013



EB0013

Phone Box w/ Lid, Door Gasket and Locking Weatherproof Southco Lever Latch

- All concealed mounting hardware and hinges.
- Finish: Outside flange polished. lid - 120 grit directional ground.
- 3) Uses 1/4" rubber cord gasket in back of lid.
- Product sold with Weather proof Southco adjustable lever latch installed (locking).








EB0017-1


Open Phone Box and Lid


1) Finish: Interior is wheel-a-brated. Flange is polished with lid 120 grit directional ground.


2) Uses std. concealed hinges and cord gasket.




Fire Apparatus












FA0012 Hose Roller "T" Block

1) Finish: Bead-blasted.










FA0019


Fire Ax-Head Holder


- 1) Finish: All exterior surfaces are bright polished.
- 2) Use with part **#FA0020** for a horizontal pull or with **#FA0021** for a vertical pull.







































FA0037

FA0037

Ladder Bracket w/ Rubber Pads

- 1) Finish: Ball-burnished.
- 2) Part sold with upper rubber (FC0016) and lower rubber (FC0015) ladder rests.






FA0043 1.75 2.38 1.77 1.77 1.28 1.75 FA0043 2.375" Ladder Bracket Assembly w/ Upper, Lower Rubber Pads and Rubber Plug, HD0012-1 2-Step Handle and SS Long-


Complete with Rubber pads.


threaded Rod, 2 pc. Design)


FA0039 Ladder Bracket w/ Rubber Pads 1) Finish: Ball-burnished. 2) Part sold with upper rubber (FC0016) and lower rubber (FC0015) ladder rests.





8,000





















FA4003 Ladder Bracket 4" Hole Pattern

- 1) Finish: Wheel-a-brated or ball-burnished.
- 2) Product sold with polished handle (HD0011).


FA4004



FA4004 Ladder Bracket 4" Hole Pattern


- 1) Finish: Wheel-a-brated.
- 2) Product sold with polished handle (HD0013).

FA4005




FA4005 Ladder Bracket 4.24" Hole Pattern


- 1) Finish: Wheel-a-brated.
- 2) Product sold with polished handle (HD0011).




FA4007 Ladder Bracket

- 1) Finish: Wheel-a-brated or ball-burnished.
- 2) Product sold with polished handle (HD0011).











FA4011 Ladder Bracket


- 1) Finish: Wheel-a-brated.
- 2) Product sold with polished handle (HD0013).











- 1) Finish: Casting is wheel-a-brated. Handle is polished.
- 2) Supplied with HD0011 Handle, AH5001 Rod Assembly, Plastic Pads, and AH0045 screws

FA4015 Ladder Bracket w/ Handle (HD0011) & Plastic Pads




FA4015-A




- 1) Finish: Casting is wheel-a-brated. Handle is polished.
- Supplied with HD0013 Handle, AH5001 Rod Assembly, Plastic Pads, and AH0045 screws

FA4015-A Ladder Bracket w/ Handle (HD0013) & Plastic Pads








FA4016

Ladder Bracket, Single **Uni-Strut Mountw/ Handle** (HD0011) & Plastic Pads

- 1) Finish: Casting is wheel-a-brated. Handle is polished.
- 2) Supplied with HD0011 Handle, AH5001 Rod Assembly, Plastic Pads, and AH0045 screws

FA4016-A







FA4016-A Ladder Bracket, Single


Uni-Strut Mount w/ Handle (HD0013) & Plastic Pads

- 1) Finish: Casting is wheel-a-brated. Handle is polished.
- 2) Supplied with HD0013 Handle, AH5001 Rod Assembly, Plastic Pads, and AH0045 screws

FA4018 FA4018 Ladder Bracket with HD4001 Handle and plastic pads 1) Finish wheel-a-brated bracket and polished handle 10-24 thru Tap x2 Ø.375 thru hole 10.74 3.75 CTC 21.11 12.66 Ø.500 thru hole Ø.156 thru hole x4 10-24 thru Tap x4 .95









FA5002


Handle & Base Dual Pike Pole Holder Assembly (Spring Loaded, w/ Rubber Trim-Lock)


- Finish: Ball-burnished w/ exterior flange polished and lid face 120 grit ground.
- 2) Angle is 22°
- 3) 2.50" & 1.75" diamter cutouts
















Fenderettes






PD1005 R17.50 R18.75 R19.5000 R18.75 R0.10 R0.10 R0.75 R0.75 R0.75 R0.75 R0.75 R0.75 R0.64 R0.75 R0

FD1005

Fenderette 18 3/4" Radius


1) Finish: all exterior surfaces are polished with concealed mounting hardware.


FD1006 FD1006 3 Piece Fenderette 16 1/8" Radius 1) Finish: all exterior surfaces are polished with concealed mounting hardware. 2) Halves are joined together at 16,11 the crest section with 1/4x20 flat-head screws and retaining tabs (furnished). 3) Units are shipped unassembled. 36.00 -38.84





FD1007 3 Piece Fenderette 26" Radius


- 1) Finish: all exterior surfaces are polished with concealed mounting hardware.
- 2) Halves are joined together at the crest section with 1/4x20 flat-head screws and retaining tabs (furnished).
- 3) Units are shipped unassembled.































Fuel Filler Guards



































FG2102 Gas Fill Guard 21° Angle

Finish: Flange is polished.
 Inside is bead-blasted.


Angle: 21°

3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8"


hole diameter size.


FG2103 -2.00-**FG2103** 0.88-Gas Fill Guard with Lid 21° Angle 7.00 1) Finish: Flange is polished. Inside is SEE NOTE 3 bead-blasted. Lid is 120 grit directional ground. 2) Angle: 21° 2 spring-loaded hinges 3) Customer please specify when (Holds lid closed or open when in use), ordering: 2 1/4", 2 1/2", 2 5/8" fole diameter size. 4) All concealed hinges and mounting #10 CLEARANCE (7 PLC.) hardware.

- 1) Finish: Flange is polished, inside is ball-burnished
- 2) Part numbers & options:




FG2104-1-225 for 2.250" rear hole FG2104-1-238 for 2.375" rear hole FG2104-1-250 for 2.500" rear hole FG2104-1-263 for 2.625" rear hole






FG2104 Gas Fill Guard 22° Angle




FG2201



FG2201 Gas Fill Guard 22° Angle


- 1) Finish: Flange is polished. Inside is bead-blasted.
- 2) Angle 22°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.



FG2204 Gas Fill Guard 22° Angle

- Finish: Flange is polished. Inside is bead-blasted. Lld is 120 grlt directional ground.
- 2) Angle: 21°
- Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.
- All concealed hinges and mounting hardware.

FG2205





FG2205 Gas Fill Guard 22° Angle


- Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 21°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.
- 4) All concealed hinges and mounting hardware.

FG2206 Gas Fill Guard (22° Angle) with Lid


- Finish: Guard is wheel-a-brated. Flange is polished. Lid is 120 grit directional ground.
- 2) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole size.
- 3) Angle: 22°
- 4) Use with ADC0028 Access Flange to keep the same appearance as the O₂ Bottle doors.








FG3101 FG3101 Gas Fill Guard #10 CLR 2.88 31° Angle 0.75 5.0 1) Finish: Flange is polished. Inside is Bead-blasted. 6.75 2) Angle: 31° SEE NOTE 3 3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.






FG4102 Gas Fill Guard (41° Angle) with Lid

- Finish: Flange is polished. Inside is Bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 41°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole diameter size.
- All concealed hinges and mounting hardware.


FG4103



FG4103 Gas Fill Guard (41° Angle) with Lid


- Finish: Flange is polished. Inside is Bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 41°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.
- 4) All concealed hinges and mounting hardware and "spill sump" included.

FG4104



FG4104 Gas Fill Guard 41° Angle


- 1) Finish: Flange is polished. Inside is Bead-blasted.
- 2) Angle: 41°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", 2 5/8" hole diameter size.
- 4) "Spill sump" uses fuel resistant nylon fitting (provided).



FG4201 Gas Fill Guard 42° Angle


- Finish: Flange is polished.
 Inside is Bead-blasted.
- 2) Angle: 42°
- 3) Customer please specify when ordering 2 1/4", 2 1/2", or 2 5/8" hole diameter size.

FG4202




FG4202 Gas Fill Guard 42° Angle

- 1) Finish: Flange is polished. Inside is Bead-blasted.
- 2) Angle: 42°
- 3) Customer please specify when ordering 2 1/4", 2 1/2", or 2 5/8" hole diameter size.




FG4204 Gas Fill Guard (42° Angle) with Lid

- Finish: Guard is wheel-a-brated. Flange is polished. Lid is 120 grit directional ground.
- 2) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole size.
- Angle: 42°
- 4) Use with ADC0028 Access Flange to keep the same appearance as the O₂ Bottle doors.



FG4205 Stainless Fuel Filler, 4d., Door Flange, Lid and Plastic Injected Fuel Filler.


- 1) All concealed mounting hardware. Stainless Piano Hinge.
- 2) Thick Rubber Gasket for sealing Flange to Lid. Rubber Gasket for mounting to rear of Plastic Injected Fuel Filler.
- 3) Multiple rear hole options available.
- 4) Fuel Sump area and Nylon Drain Fitting built in.
- 5) 3/4" Keyed Cylinder Latch





Options: Lid: Brushed or polished finish.





















FG5301 Gas Fill Guard 53° Angle

- Finish: Flange is polished. Inside is Bead-blasted.
- 2) Angle: 53°
- Customer please specify when ordering 2 1/4", 2 1/2", or 2 5/8" hole diameter size.


FG5302



FG5302 Gas Fill Guard 53° Angle

- Finish: Flange is polished. Inside is Bead-blasted.
- 2) Angle: 53°
- Customer please specify when ordering 2 1/4", 2 1/2", or 2 5/8" hole diameter size.

FG5303





FG5303 Gas Fill Guard 53° Angle

- Finish: Flange is polished.
 Inside is Bead-blasted.
- 2) Angle: 53°
- Customer please specify when ordering 2 1/4", 2 1/2", or 2 5/8" hole diameter size.

FG5304 7.5 9 9 4.2 #10 CSK 3/8" FITTING

FG5304


"Break-Away" Gas Fill Guard with Spill Sump

- 1) "Break-Away" Design incorperates a rubber gasket insert that permits fuel fill neck to separate from insert or insert separate from casting in the event of vehicle roll or module body separation, increasing chances of leaving fuel fill neck intact with fuel tank.
- 2) Casting "spill sump" uses fuel resistant nylon fitting (provided) to use with 3/8" flexible hose to route spilled fuel away and to the ground.
- Aluminum ring to bolt rubber insert against fuel fill neck backplate.
 Rubber stretches to seal around various size fuel fill necks.
- 4) Finish: Flange is polished. Inside is Bead-blasted.
- 5) Angle: 53°.

FG5305 1.37 Ø0.21 (8 PLC.) 9.32 53.00°

FG5305 Gas Fill Guard (53° Angle) with Lid

- Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 53°
- All concealed hinges and mounting hardware.
- "Break-Away" and "spill sump" design.




FG5306

Gas Fill Guard (53° Angle) with Lid

- Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 53°
- 3) Customer please specify when ordering; 2 1/4", 2 1/2", or 2 5/8" hole diameter size.
- All concealed hinges and mounting hardware


FG5307



FG5307 Gas Fill Guard (53° Angle) with Lid

- Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 53°
- Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole diameter size.
- 4) All concealed hinges and mounting hardware.


FG5308



FG5308

Recessed Gas Fill Guard (53° Angle) with Lid


- Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 53°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole diameter size.
- All concealed hinges and mounting hardware.





Recessed Gas Fill Guard (53° Angle) with Lid


- 1) Finish: Flange is polished. Inside is bead-blasted. Lid is 120 grit directional ground.
- 2) Angle: 53°
- 3) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole diameter size.
- 4) All concealed hinges and mounting hardware.

FG5310 7.67 FG5310 -5.994.59 Gas Fill Guard 2.85 0.20 --3.7053° Angle Ø0.27 (2 REQ'D) 1) Finish: Flange is polished. Inside is bead-blasted. 2) Angle: 53° 3) Customer please specify when R0.65 ordering: 2 1/4", 2 1/2", or 2 5/8" 53.00° hole diameter size. SEE NOTE 3













Gas Fill Guard (55° Angle)

- 1) Finish: Flange is polished. Inside is bead-blasted.
- 2) Customer please specify when ordering: 2 1/4", 2 1/2", or 2 5/8" hole size.
- 3) Angle: 55°













FGL0022 FGL0042 FGL0053








Flange Rings






























































































Flanges and Spacers





Glove Boxes

PL1015




PL1015-SGL-THIN-A-RHL or -B-LHL PL1015-SGL-DEEP-C-RHL or -D-LHL PL1015-SGL-580-E-RHL or F-LHL

Drop-in Recessed Single Glove Box Holders

- ✓ SAE J3058 Compliant
- ✓ Single, Double, and Triple Options
- ✓ Left and Right Hand Configurations
- ✓ Fits Virtually All Glove Box Footprints
- ✓ Adjustable Mounting Depths for Wall or Door Installation
- ✓ Marine Grade Acrylic Capped ABS Box
- ✓ Clear or Tinted Plexiglass
 Lid with Routed Edges
- ✓ Stainless Steel Hardware
- ✓ Less Costly Than Other Methods of Manufacturing
- ✓ White Box is Standard –

 Custom Colors Upon Request
- ✓ Depth dimensions are the same for single, double and triple options



7.82


3.94

2.09


3.60

2.09

PL1016



PL1017





Handles


HD0002


HD0002 6" Wheel Handle with Swivel Handle


- 1) Finish: Polished with bead-blasted interior.
- 2) Customer specify rod diameter hole (supplied standard with .50" hole).
- 3) Customer specify with #1/4-20 or #5/16" set screw.

















































































IV Hangers

IV2001






IV2001

I.V. Hook

- 1) Finish: Bright Polished.
- Low silhouette with smooth, round surfaces to minimize the possibility of head injury. Hang IV Bag with one hand using thumb to actuate button.
- High strength aluminum alloy
 The strength aluminum aluminum alloy
 The strength aluminum aluminum aluminum alloy
 The strength aluminum aluminu

IV2002







IV2002 I.V. Hanger

- 1) Positive retention in both the stored and in use positions.
- 2) Material: Body made of cast aluminum. Hooks and stanchion made of 1/4" 6061-T6 Aluminum rod.
- 3) Designed for use with 500 or 1000 cc IV bags or bottles.
- 4) Finish: Bright polished.

IV2007






SECTION A-A

IV2007

Dual IV Hanger Assembly w/ Velcro (No Injury - Ceiling Mount)


- Finish: Cup Housing and Aluminum IV Bag Clip Holders are polished. Rubber IV Bag Buttons, Rubber Dual IV Bag Holder and Velcro Strips are natural Black.
- 2) IV Bag Holder can be put away to the celling level in either direction.
- 3) IV Hanger assembly does not protrude more than 1", in use, or stored.





Dual IV Hanger Assembly w/ Velcro (No Injury - Ceiling Mount)


- Finish: Rectangular Housing and Aluminum IV Bag Clip Holders are polished. Rubber IV Bag Buttons, Rubber Dual IV Bag Holder and Velcro Strlps are natural Black.
- 2) IV Bag Holder can be put away Into the recessed area of the casting.
- 3) IV Hanger assembly does not protrude more than 1", in use, or stored.


Light Bar Brackets





















LB0020 Stanchion Bracket 2" x 4" Post


- 1) Finish: Polished or 120 grit ground for painting.
- 2) Mounts to a 2" x 4" post or stanchion.
- 3) Lid mounts with two #10 screws.



































































Righthand Access Lid Stamping

Lefthand Stanchion Bracket Casting w/ wire inlet hole (2015 Dodge ProMaster) Driver

Righthand Stanchion Bracket Casting (2015 Dodge ProMaster) Passenger LB0059-1 LB0060-1 2015 Dodge ProMaster Light Bar Brackets

1) Finish: exterior surfaces are polished.

2) -A version for No Top Holes.



LBC0062-1-A

LBC0067-1


LBC0068-1


3


4

Light Housings

Weldon 1000 Series









LH10201 Triple Light Trim Weldon 1000


- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- 3) Function: provides an aesthetic trim where a three light cluster is to be mounted.


1" x 4" Marker Lights






Weldon 2000 series








LH20104 Light Housing Weldon 2000

- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 15°


required.


 Total surface mount. No clearance hole in the body regulred.

LH20105 LH20105 8,13 -3.42**Light Housing** 0 Weldon 2000 #10 CSK (4 PLC.) 7,11 1) Finish: All exterior surfaces are .150 HOLE (4 PLC.) bright polished or 120 grit ground. 2) Angle: 18° 3) Total surface mount, No 1,07 clearance hole in the body



18.00°






Weldon 2030 Series


RED 1-2030-1120 AMBER 2-2030-1120 WHITE 3-2030-1120 #10 CSK (4 PLC.) WHITE 3-2030-1120 #10 CSK (4 PLC.) WHITE 3-2030-1120 #10 CSK (4 PLC.)

LH23201


Triple Light Housing Weldon 2030


- 1) Finish: All exterior surfaces are bright pollshed or 120 grlt ground.
- 2) Designed to accommodate a complete tail light assembly, consisting of tail, turn, and back-up lamps.
- 3) Installation: Three clearance holes for bulb sockets.







Weldon 3020 Series











3 x 4 Light Housings



LH34203 Light Housing (3" x 4" Light)

 Finish: All exterior surfaces are bright polished or 120 grit ground.
 Angle: 15°


LH34M4701 LH34M4702 6.00 LH34M4701 LH34M4702 15d Tilt-Out 2.44 Intersection Light Housing - 2017 Ford F .86 Series SD (Whelen M4 Series Lt w/o Chrome R8.09 4.20 85.00° 3.61 | 3.08 3.89 2.20 1. Finish: exterior surfaces are polished. 2) For Whelen M4 Series Lt w/o Chrome Trim, 15d. Intersection Lt Hsg (2017 Ford F Ø.156 thru Series SD) hole x2 3) M4 Intersection Housing: works with 10-24 NC thru Plain Fender and Fender with Large Fender Ø.209 tap x2 Flare thru hole x4 Ø.40 CSK 90° √ x4




LH35101 Surface Mount Light Housing (3" x 5" Light)

- 1) Finish: All exterior surfaces are bright pollshed.
- 2) Angle: 0°
- 3) For use with a 3" x 5" linear strobe light.

LH35202 LH35202 **Light Housing** (3" x 5" Light) #6-32 TAP (4 REQ'D) 3.33 1) Finish: All exterior surfaces are 3.64 bright polished. 0.193.39 2) Angle: 0° Ø0.20 DRILL (4 REQ'D) 3) For use with a 3" x 5" linear 13 GASKET 0.13-3.32 R0.39 strobe light. GROOVE Ø0.38 CSK (4 REQ'D)






LH35604 Grille Mount Lt Hsg - 3" x 5" LED

1) Finish: All exterior surfaces are bright polished 2) For use with a 3" x 5" LED light. 3) Driver side Grille Mount Lt Hsg - 2005-06 2005 Ford F350 SD

LH35703






LH35703 Intersection Lt Hsg 20d. 3" x 4" Light -Linear Strobe


- 1) Finish: All exterior surfaces are bright pollshed
- 2) For use with a 3" x 5" linear strobe light.
- 3) Passenger side 2002-05 Freightliner M2
- 4) Angle: 20°

LH35704





LH35704 Intersection Lt Hsg 20d. 3" x 4" Light -Linear Strobe


- 1) Finish: All exterior surfaces are bright polished
- 2) For use with a 3" x 5" linear strobe light.
- 3) Driver side 2002-05 Freightliner M2
- 4) Angle: 20°



3" x 7" Light Housings







LH37102 **Light Housing** (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright pollshed.
- 2) Angle: 0°
- 3) Tomar Halogen Light requires two 1 3/8" holes drilled in the body.


LH37104 2,25 8.45 7,70 2.00 #6-32 TAP (8 PLC.) 6.61 7.37

#10 CSK (4 PLC.)

LH37104 **Double Light Housing** (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.


LH37105 LH37105 2.25 8.45 **Triple Light Housing** 2.00 7.70 (3" x 7" Light) Ш 1) Finish: All exterior surfaces are Ħ bright polished. #6-32 TAP П (12 PLC.) 2) Angle: 0° 9.75|| 10.50 3) Total surface mount. No Ц clearance hole in the body H required. Ш #10 CSK (4 PLC.)



LH37106 Triple Light Housing (Weldon 3" x 7" Light)

- 1) Finish: All exterior surfaces are bright pollshed.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Will function only with the Weldon
- 3" x 7" Llght.


LH37107



LH37107 Quad Light Housing (Weldon 3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Will function only with the Weldon
- 3" x 7" Light.


LH37108





LH37108


Triple Light Housing (Code 3 3" x 7" LED Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Will function only with the Code 3
- 3" x 7" LED Light










LH37201 Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- 3) Clearance hole for reflector required In the body.
- 4) 1/8" cord gasket to seal housing to the body (optional: customer please specify).


LH37202



LH37202 Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- 3) Clearance hole for reflector required in the body.
- 4)Concealed mounting hardware.

LH37203



LH37203 Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 15°
- 3) Clearance hole for reflector required in the body.
- 4)Concealed mounting hardware.



LH37205 Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright pollshed or 120 grlt ground.
- 2) Angle: 26°
- 3) Clearance hole for reflector required in the body.
- 4) 1/8" cord gasket to seal housing to the body (optional: customer please specify).


LH37206



LH37206 Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 45°
- 3) Clearance hole for reflector required in the body.


LH37208



LH37208

Roof Rail Mount Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished.
- Designed to fit the approximate
 25" radius used on some firetrucks.





LH37209 Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished.
- Designed to fit the approximateradius used on some firetrucks.

LH37210 7.90 LH37210 R85.50 **Light Housing** (3" x 7" Light) 0,20-1) Finish: All exterior surfaces are 6.55 bright polished. 2) Designed to fit the 85.50" #6-32 TAP 4 REQ'D radius used on some firetrucks. 3,63 1,21 ø.21 HOLE 2 REQ'D












LH37229 LH37230










LH37237 LH37238

Finish: polished exterior surfaces. For **Medium Roof** only, 2015 1. LH37237-1 & LH37238-1 2. Driver/Passenger - Front/Side, Dual 3x7 Ford Transit Cargo Van. Combination 3x7 3x7 & Marker 3. Weldon LED Lts & Single Marker Light Light Housings: Front Driver and Housing (2015 Ford Transit Cargo Van -Passenger. Medium Roof) Driver - Front on LH37237-1 Medium Roof (shown) Passenger - Front on LH37238-1 Medium Roof -11.49 3.38 7.44 Ø.105 thru hole x8 6.57 6-32 thru tap x8 5.85 2.39 1.98 2.36 3.93 Ø.21 thru hole x5 Ø.375 Csk 90° V x5

LH37239 LH37240

- Finish: polished exterior surfaces. For **Medium Roof** only, 2015 Ford
- Transit Cargo Van.
 Combination 3x7 3x7 & Marker
 Light Housings: Rear Driver and 3.


LH37239-1	Driver - Rear on Medium Roof (shown)
LH37240-1	Passenger - Rear on Medium Roof
-	11.50
	11.50




LH37239-1 & LH37240-1


Driver/Passenger - Rear/Side, Dual 3x7 Weldon LED Lts & Single Marker Light Housing (2015 Ford Transit Cargo Van -Medium Roof)







LH37245 LH37246



LH37245-1 & LH37246-1

Driver/Passenger - Front/Side, Dual 3x7 700 Series Scene Lts & Single Marker Light Housing (2015 Ford Transit Cargo Van - Medium Roof)




Finish: polished exterior surfaces.

 For Medium Roof only, 2015 Ford Transit Cargo Van.

 Combination 3x7 3x7 & Marker Light Housings: Front Driver and Passenger, for 700 Series Scene LED Lights.

LH37245-1	Driver - Front on Medium Roof (shown)
LH37246-1	Passenger - Front on Medium Roof

LH37247 LH37248



LH37247-1 & LH37248-1

Driver/Passenger - Rear/Side, Dual 3x7 700 Series Scene Lts & Single Marker Light Housing (2015 Ford Transit Cargo Van - Medium Roof)





Finish: polished exterior surfaces.


 For Medium Roof only, 2015 Ford Transit Cargo Van


Transit Cargo Van.
3. Combination 3x7 3x7 & Marker Light Housings: Rear Driver and Passenger, for 700 Series Scene LED Lights.


LH37247-1	Driver - Rear on Medium Roof (shown)
LH37248-1	Passenger - Rear on Medium Roof















LH37502

Bumper Mount Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Mounting Angle: between 0° and 90°.
- 3) Fits the Whelen 73 Series Light.


LH37607



LH37607 Grille Mount Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Parts mount to the face of the grille without cutting, drilling, or damaging the grille.
- 3) Mounts with an included backplate, from the backslde of the grille.
- 4) For the 1994 & up Dodge D350 Truck Cab.

LH37611



LH37611 Grille Mount Light Housing (3" x 7" Light)


- Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts In the outboard openings of the grille on the 1997 Ford vans (Passenger Side).
- 4) Mounting bracket not shown.



LH37612 Grille Mount Light Housing (3" x 7" Light)

- Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts in the outboard openings of the grille on the 1997 Ford vans (Driver Side).
- 4) Mounting bracket not shown.

LH37620




LH37620

Grille Mount Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts in the grille on the 1999 Ford E350 Van (Passenger Side).

LH37621




LH37621 Grille Mount Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts in the grille on the 1999 Ford E350 Van (Driver Side).

R2,62

SECTION "A-A"




LH37630

Passenger - 3" x 7" Light - Grille Mnt Lt Housing (2002 International 4300)

- 1) Finish: polished.
- 2) Designed for use with a 3" x 7" Light on the 2002-05 International 4300 4400.

LH37631




LH37631

Driver - 3" x 7" Light - Grille Mnt Lt Housing (2002 International 4300)

- 1) Finish: polished.
- 2) Designed for use with a 3" x 7" Light on the 2002-05 Internationa 4300 4400.


LH37632





LH37632


Grille Mount Lt Hsg - 3" x 7" LED - 2003 Chevy C4500 (Fixed Grille) - Pass


- 1) Finish: polished.
- 2) Designed for use with a 3" x 7" Light on the 2003-05 Chevy C4500 (Fixed Grille).













LH37640

Grille Mount Lt Hsg - 3" x 7" -2003 Chevy G3500 Van - Pass (2004 C3500)

- 1) Finish: polished.
- 2) Designed for use as a Grille Mount Lt Hsg - 3" x 7" - 2003 Chevy G3500 Van - Pass (2004 C3500)

LH37641







LH37641

Grille Mount Lt Hsg - 3" x 7" -2003 Chevy G3500 Van - Drlv (2004 C3500)

- 1) Finish: polished.
- 2) Designed for use as a Grille Mount Lt Hsg - 3" x 7" - 2003 Chevy G3500 Van - Driv (2004 C3500)

LH37642






LH37642

Grille Mount Lt Hsg - 3" x 7" - 2003-05 Freightliner M2 - Pass

- 1) Finish: polished.
- 2) Designed for use as a Grille Mount Lt Hsg - 3" x 7" - 2003-05 Freightliner M2 - Pass





LH37643

Grille Mount Lt Hsg - 3" x 7" -200305 Freightliner M2 - Driv

- 1) Finish: polished.
- 2) Designed for use as a Grille Mount Lt Hsg - 3" x 7" - 200305 Freightliner M2 - Driv

LH37646







LH37646

Driver side, 3" x 7" 2005 Ford F350 SD (F Series) Grille Mount Hsg

- 1) Finish: polished.
- 2) Designed for use as a Driver side, 3" x 7" 2005 Ford F350 SD (F Series) Grille Mount Hsg

LH37647







LH37647


Passenger side, 3" x 7" 2005 Ford F350 SD (F Series) Grille Mount Hsg


- 1) Finish: polished.
- 2) Designed for use as a Passenger side, 3" x 7" 2005 Ford F350 SD (F Series) Grille Mount Hsg












LH37666 LH37667

LH37666 & LH37667 Whelen 3x7 LED only -'08-'09 Chevy G3500 Grille Mount Housings

1)Finish: Ball-burnished w/ Exterior Surface Polished 2)LH37667 Passenger Side Shown

3)LH37666 Driver Side is opposite





LH37668 LH37669

Ø.200 Thru Ø.110 Thru 6-32 Tap x4

LH37668-1 & LH37669-1

Grille Mount Light Housing Assembly -'04 -'09 Dodge D3500 (Whelen 3x7 LED only)


1) Finish: Ball-burnished w/ Exterior Surfaces Polished

2)LH37668-1 Driver side (shown) LH37669-1 Passenger side is opposite

3)Grille mount light housing for '04-'09 Dodge D3500


(Whelen 3x7 LED)







LH37670 LH37671




LH37670-1 & LH37671-1

Whelen 3x7 LED only - 2011 Ford F series SD, Grille Mount Hsg Assembly

- 1) Finish: Ball-burnished w/ Exterior Surfaces Polished
- LH37670-1 Passenger side (shown)
 LH37671-1 driver side is opposite
- Grille mount light housing for 2011 Ford F series SD (Whelen 3x7 LED only).



LH37672 LH37673




LH37672-1 & LH37673-1 Whelen 3x7 LED only - 2010 Dodge 3500 Truck Cab, Grille Mount Hsg Assembly

- 1) Finish: Ball-burnished w/ Exterior Surfaces Polished
- LH37672-1 Passenger side (shown)
 LH37673-1 driver side is opposite
- Grille mount light housing for 2010 Dodge 3500 (Whelen 3x7 LED only).




LH37674 LH37675



LH37674-1 LH37675-1 Whelen 3x7 LED only -

2011 International TerraStar **Grille Mount Hsgs**

- 1) Finish: Polished exterior
- 2) For 3x7 LED only.
- 3) Grille mount 3x7 light housings for 2010 International TerraStar.






LH37676 LH37677

Ø.23


thru hole x4 Ø.40 CSK V 90°x4



6-32 tap x4



- 1) Finish: exterior surfaces are polished. 2) For 3x7, Grille Lt Hsg (2017 Ford F Series SD) (for Whelen 700 series, LED, Linear Strobe, Halogen, Scene and Weldon 3700 series Light).
- 3) 3x7 Grille Housing: works with both Grille Style Options.






1. Finish: exterior surfaces are polished.

2. For 3x7, Grille Lt Hsg (2020 Chevy HD) (for Whelen 700 series, LED and Halogen 700 series Light).


LH37701

Tap x4



LH37701 Intersection Light Housing (3" x 7" Light)


- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 15°
- 3) Mounts above the fender to " *tilt-forward*" the warning light toward the intersection.



LH37702 Intersection Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Designed to mount an Intersection light on the front fender of the 1992 and up Ford E350 van (Passenger Side).
- 3) Tomar Strobe only (No Halogen Light).


LH37703



LH37703 Intersection Light Housing (3" x 7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Designed to mount an intersection light on the front fender of the 1992 and up Ford E350 van (Driver Side).
- 3) Tomar Strobe only (No Halogen Light).


LH37712



LH37712

"Under-the-HeadLight" Housing (3" x7" Light)

- 1) Finish: All surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts In the sheetmetal area directly below the headlights on the 1992-97 Ford Vans (Pass. Slde).
- 4) Total surface mount. No clearance holes for the reflector regulred.




LH37713

"Under-the-HeadLight" Housing (3" x7" Light)

- 1) Finish: All surfaces are bright polished.
- 2) Angle: 0°
- 3) Mounts in the sheetmetal area directly below the headlights on the 1992-97 Ford Vans (Driver Side).
- 4) Total surface mount. No clearance holes for the reflector regulred.

LH37722




LH37722

Intersection Light Housing (3" x7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 15°
- 3) Mounts on the fender for an intersection light housing on the 1999 Ford F350 Super Duty (Passenger Side).


LH37723



LH37723

Intersection Light Housing (3" x7" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 15°
- 3) Mounts on the fender for an intersection light housing on the 1999 Ford F350 Super Duty (Driver Side).




LH37734

Driver Intersection Lt Hsg. 3" x 7" Light - 20d. Tilt -2002-05 International 4300 (Whelen 73 LED Only!)

- 1) Finish: polished.
- 2) Angle: 0°
- 3) Driver Intersection Lt Hsg. 3" x 7" Light 2002-05 International 4300 (Whelen 73 LED Only!)

LH37735




LH37735

Pass Intersection Lt Hsg. 3" x 7" Light - 20d. Tilt -2002-05 International 4300 (Whelen 73 LED Only !)

- 1) Finish: polished.
- 2) Angle: 0°
- Passenger Intersection Lt Hsg. 3"
 T Light 2002-05 International
 Whelen 73 LED Only!

LH37736



LH37736

Intersection Lt Hsg - 0d. -3" x 7" LED Light - 2003 Chevy/GMC C4500 - Pass.


- 1) Finish: polished.
- 2) Angle: 0°
- 3) Passenger Intersection Lt Hsg -0d. - 3" x 7" LED Light - 2003-05 Chevy/GMC C4500


LH37737


Intersection Lt Hsg - 0d. -3" x 7" LED Light - 2003 Chevy/GMC C4500 - Driv.

- 1) Finish: polished.
- 2) Angle: 0°
- 3) Driver Intersection Lt Hsg 0d. -
- 3" x 7" LED Light 2003-05

Chevy/GMC C4500









Driver - 2005 Ford F350 SD 15° Intersection Light Housing 3" x 7" Lights


- 1) Finish: polished.
- 2) Angle: 15°
- 3) Driver 2005 Ford F350 SD Intersection Light Housing 3" x 7"

Lights





LH37748 LH37749




LH37748 and LH37749

15d. Intersection **Light Housings for** 2008 Ford F series

- 1) Finish: polished exterior.
- 2) LH37748 Driver Side. LH37749 Passenger Side.
- 3) 15 degree, Fender mount, intersection housings for 3" X 7" Lights.

LH37750 LH37751




LH37750 and LH37751

15d. Intersection **Light Housings for** 2008 Dodge Sprinter

- 1) Finish: polished exterior.
- 2) LH37750 Driver Side. LH37751 Passenger Side.
- 3) 15 degree, Fender mount, intersection housings for 3" X 7" Lights.


LH37752 LH37753





LH37752 and LH37753


Under-the-headlight Housings for 2008 Dodge Sprinter

- 1) Finish: polished exterior.
- 2) LH37752 Driver Side. LH37753 Passenger Side.
- 3) 55 degree 3" x 5" intersection light and 3" X 7" forward Light.
- 4) Mounts underneath the headlight, on top of the bumper.

























LH37774 LH37775






LH37778 LH37779




LH37778-1 & LH37779-1 3x7 LED, 2011 Ford F series SD 15d. Intersection Hsg (Large Radius Fender)

- 1) Finish: Exterior surfaces are polished
- LH37778-1 Driver Side shown
 LH37779-1 Passenger Side is opposite




LH37780 LH37781





LH37782 LH37783








LH37786-1 & LH37787-1 Driver/Passenger - 3x7 LED only, 2015 Ford Transit Cargo, 15d. Intersection Hsg ### Page 1.05 thru hole x4 6-32 thru top x4 ### Page 1.05 thru hole x4 6-32 thru top x4 ### Page 1.05 thru hole x4 6-32 thru top x4 ### Page 1.05 thru hole x4 6-32 thru top x4
























4" x 6" Light Housings






LH46103 Light Trim

(6" x 4" Light)

- Finish: All exterior surfaces are bright polished.
- 2) angle: 0°
- 3) Lights mount to the back side of trim using the existing holes in the chrome-plated flange of the light.
- 4) Total surface mount. No clearance hole in the body required.


LH46104




LH46104 Light Trim (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) angle: 0°
- 3) Lights mount to the back side of trlm using the existing holes in the chrome-plated flange of the light.
- 4) Total surface mount. No clearance hole in the body required.


LH46105





LH46105 Triple Light Trim (6" x 4" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) 0°
- 3) Concealed mounting hardware.
- 4) Total surface mount. No clearance hole in the body required.



LH46106 Double Light Trim (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) 0°
- 3) Concealed mounting hardware.
- 4) Total surface mount. No clearance hole in the body required.


LH46107



LH46107 Light Trim (6" x 4" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) 0°
- 3) Concealed mounting hardware.
- 4) Total surface mount. No clearance hole in the body required.

LH46109



LH46109 Light Housing (6" x 4" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Function: Mounts the light to a 150" radius Cab surface.
- Total surface mount. No clearance hole in the body regulred.



LH46110 Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Fits halogen or linear strobe.


LH46111



LH46111 Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Fits cab curvature of 150" radius.
- 5) Flts halogen or linear strobe.


LH46112



LH46112

Light Housing (6" x 4" Light w/ ChromeFlange)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Flts cab curvature of 12 7/8" radius.




LH46113

Intersection Light Housing (6" x 4" Light)

- Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Fits cab curvature of 12 7/8" radius.

LH46114




LH46114 Quad Light Housing

(6" x 4" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.

LH46115



LH46115 Triple Light Housing (6" x 4" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- Total surface mount. No clearance hole in the body required.
- 4) Only for use with a Weldon
- 4" x 6" light.



LH46116 Quad Light Housing (6" x 4" Light)

- Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Only for use with a Weldon
- 4" x 6" light.

LH46117




LH46117

Triple Vertical Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Fits halogen or linear strobe.


LH46118





LH46118


Triple Vertical Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- 3) Total surface mount. No clearance hole in the body required.
- 4) Flts halogen or linear strobe.












LH46122

Triple Vertical Light Housing - 0d. -Code-3 4" x 6" LED

- 1) Finish: all exterior surfaces are polished.
- 2) Angle: 0°
- 3) Triple Vertical Light Housing 0d. for Code-3 4" x 6" LED

LH46123






LH46123

Intersection Light Housing - Whelen 64 Linear Strobe -12" Rad.

- 1) Finish: all exterior surfaces are polished.
- 2) Angle: 0°
- 3) Intersection Light Housing for Whelen 64 Linear Strobe 12" Rad.

LH46124







LH46124

Intersection Light Housing - Whelen 64 LED - 12 7/8" Rad.

- 1) Finish: all exterior surfaces are polished.
- 2) Angle: 0°
- 3) Intersection Light Housing for Whelen 64 LED 12 7/8" Rad.






LH46125

Quad Vertical Light Housing - 0d. -Code-3 4" x 6" LED

- 1) Finish: all exterior surfaces are polished.
- 2) Angle: 0°
- 3) Quad Vertical Light Housing 0d, for Code-3 4" x 6" LED

LH46126 Light Housing 12 7/8" rad. Whelen 4" x 6" 1) Finish: Polished exterior. 2) For 4x6 Linear Strobe, Halogen or LED light.



LH46128 SECTION A-A SCALE 1:3.7







LH46128 Triple Light Hsg -0d. -Whelen 4" x 6" **LED Light**


- 1) Finish: Polished exterior..
- 2) For 4x6 LED light only.
- 3) Uses RG0063 Gasket.


LH46129 LH46129 Quad Light Hsg -0d. - Whelen 4" x 6" **LED Light** 1) Finish: Polished exterior.. 2) For 4x6 LED light only. 3) Uses RG0064 Gasket. Ø:105 Hole x16 6-32 Tap x16 Ø.200


SECTION A-A SCALE 1:4














LH46202 Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright pollshed.
- 2) Angle: 0°
- 3) Clearance hole in the body required.
- 4) Fits halogen or linear strobe.








LH46502

Flat Bumper Mount Light Housing (6" x 4" Light)

- 1) Finish: Exterior flange is bright polished.
- 2) Fits halogen or linear strobe.

LH46601




LH46601

Grille Mount Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- Parts mount to the face of the grille without cutting, drilling or damaging the grille.
- 3) Mounts with an incuded backplate, from the backside of the grille (grille must remain on the vehicle) of the 1992 1996 Ford E350 van.


LH46602



LH46602

Grille Mount Light Housing (6" x 4" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Parts mount to the face of the grille without cutting, drilling or damaging the grille.
- 3) Mounts with an incuded backplate, from the backside of the grille (grille must remain on the vehicle) of the 1992-1996 Ford E350 van (Driv. Side).




LH46603

Passenger - Whelen 4" x 6" -Grille Mnt Lt Housing (2002-05 International 4300)

- 1) Finish: All exterior surfaces are bright pollshed.
- 2) Parts mount to the face of the grille without cutting, drilling or damaging the grille.
- 3) Mounts with an incuded backplate, from the backside of the grille (grille must remain on the vehicle) of the 2000-05 Internatinal 4300

LH46604



LH46604

Driver - Whelen 4" x 6" - Grille Mnt Lt Housing (2002-05 International 4300)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Parts mount to the face of the grille without cutting, drilling or damaging the grille.
- 3) Mounts with an incuded backplate, from the backside of the grille (grille must remain on the vehicle) of the 2000-05 Internatinal 4300

LH46707





LH46707

Comb. Whelen 4" x 6"
Fwd / 3" x 7" Int. Driver Lt
Hsg - for 2002-05
International 4300

- 1) Finish: All exterior surfaces are bright polished.
- 2) Part mounts to the fender of the 2000-05 Internatinal 4300 to serve as an Intersection and forward facing warning light of the 2000-05 Internatinal 4300






LH46708

Comb. Whelen 4" x 6" Fwd / 3" x 7" Int.


Passenger Lt Hsg - for 2002-05 International 4300


- 1) Finish: All exterior surfaces are bright polished.
- 2) Part mounts to the fender of the 2000-05 Internatinal 4300 to serve as an intersection and forward facing warning light of the 2000-05 Internatinal 4300


LH46709 LH46709 Intersection Light Housing - Whelen 64 LED - 9" Rad. 1) Finish: All exterior surfaces are brlght pollshed. 2) Angle: 0° 3) Fits 9" radius corner post.



LH52001 LH52001-1 Surface Mount Trim Casting (500 Series Finish: exterior surfaces are polished. For light mounting of 500 Series Super LED TIR6. 1. Super LED TIR6) 5.58 R.50 2.23 Ф R.26 R.04 2.62 SECTION B-B Ø.21 SECTION A-A thru hole x2








LH52609 LH52610

.580 - 2.832 .525 - SECTION A-A

LH52609-1 & LH52610-1

Grille Mount Lt Hsg Assembly (Whelen 500 series TIR6 Super LED or 500 series Linear Strobe) '08-'09 Chevy G3500

- 1) Finish: Exterior surfaces are polished
- LH52610-1 Passenger Side shown LH52609-1 Driver Side is opposite






LH52611 LH52612



LH52611-1 & LH52612-1


Grille Mount Lt Hsg Assembly (Whelen 500 series TIR6 Super LED only) 2011 Ford F Series SD

- 1) Finish: Exterior surfaces are polished
- 2) LH52611-1 Passenger Side shown LH52612-1 Driver Side is opposite







LH52615 LH52616



LH52617 LH52618




LH52619 LH52620




LH52621 LH52622




LH52623 LH52624






LH52627 LH52628 Lower - Grille Lt Hsg - 2020 Ford F Series SD 500 Series Linear Strobe & Super LED TIR6 1) Finish: (-1) Polished exterior.

Ø.150 Thru 10-24 Tap





LH52707 LH52708



LH52707-1 & LH52708-1


Intersection Lt Hsg - 15d. (Whelen 500 series TIR6 Super LED only)
2011 Ford F Series SD


- 1) Finish: Exterior surfaces are polished
- 2) LH52707-1 Passenger Side shown LH52708-1 Driver Side is opposite
- 3) For Large Fender Flare.




LH52709 LH52710












LH52717 LH52718




LH52719 LH52720





5" x 8" Light Housings




7" x 9" Light Housings










LH79103 Light Housing (7" x 9" Light)

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- Total surface mount. No clearance hole in the body required.

LH79104

9.66




-0.18

LH79104 Light Housing (7" x 9" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- Total surface mount. No clearance hole in the body required.


LH79105





LH79105 Light Housing (7" x 9" Light)


- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 15°
- Total surface mount. No clearance hole in the body required.
















































LH79227 LH79228

- Finish: polished exterior surfaces.
- 2. For **High Roof** only, 2015 Ford Transit Cargo Van.
- Cargo Van.
 3. Combination 7x9 3x7 & Marker Light Housings.




LH79227-1 & LH79228-1

Front/Side and Passenger -Rear/Side 7x9 3x7 & Marker Light Housing (2015 Ford Transit Cargo Van - High Roof)



LH79229 LH79230





LH79229-1 LH79230-1


High Roof, Rear Light Housing: Single 900 Light and two 700 Lights




Application: Driver Side, High Roof, Rear Light Housing: Single 900 7 x 9 Light and two 700 Scene, LED or Halogen 3 x 7 Lights (2015 Ford Transit Cargo Van). Finish: polished exterior.












Misc. Lights






LH90405



LH90405 Double Light Trim Cat's Eye CE-600

- 1) Finish: all exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- Function: provides an aesthetic trim where a two light cluster is to be mounted.


LH90504



LH90504 Light Housing Code-3 Oscilaser

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°
- Total Surface Mount, No clearance hole in the body required.


LH90603



LH90603 Light Housing Federal Signal GS2F Light

- 1) Finish: All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- Total surface mount. No clearance hole in the body required.


LH90902



LH90902 Light Housing KD Lamp Headlight

- 1) Finish; All exterior surfaces are bright polished or 120 grit ground.
- 2) Angle: 0°
- 3) Function; Mounts the light to a 150" radius Cab surface,
- 4) Total Surface Mount, No clearance hole in the body required.

LH91102




LH91102

Marker Light Housing - Weldon C9186 LED

- 1) Finish: All exterior surfaces are bright polished.
- 2) Angle: 0°

LH91201







LH91201


UnderBody Light Housing


1) Finish; ball-burnlshed. 2) Angle; 30°






License Plate Holders







LP0004-B



- LP0004-B License Plate Holder w/ LED Light
- 6.36 4.75

 #1/4-20 TAP

 #1/4-20 TAP


 #1/4-20 TAP

 4.75

 -00.265
 (4 PL.)

 1.26
- 1) Finish: Flange is bright polished.
- Supplied w/ LED light (WL0501 type), LC0011 adapter plate for LED, and mounting screws


LP0005



LP0005 License Plate Holder

- 1) Flnish: Flange is bright polished.
- Uses Truck-Lite Light for illumination (provided).
- 3) Concealed mounting hardware.


LP0005-C




- 1) Finish: Flange is bright polished.
- Supplied w/ LED light (WL0501 type), LC0011 adapter plate for LED, and mounting screws.

LP0005-C License Plate Holder w/ LED Light











LP0014-1 License Plate Hood and Frame Assembly with WL0501 type clear LED Light Assembled 1) Finish: polished exterior

Modular Corners






MC0003 Modular Corner (Weld In)

- 1) Finish: Ground and wheel-a-brated.
- Purpose: To eliminate the need for mitering corners of extrusions.


MC0005



MC0005 Modular Corner (Weld in)


- Finish: Ground and wheel-a-brated.
- Purpose: To eliminate the need for mitering corners of extrusions.

MC0010




MC0010 Modular Corner (Weld in)


- 1) Finish: Ground and wheel-a-brated.
- Purpose: To eliminate the need for mitering corners of extrusions.




MC0011 Modular Corner (Weld In)

- 1) Flnlsh: Ground and wheel-a-brated.
- Purpose: To eliminate the need for mitering corners of extrusions.










EXTRUSIONS

MC0023 Modular Corner (Weld In)

- Finish: Ground and wheel-a-brated.
- Purpose: To eliminate the need for mitering corners of extrusions.










MC0028 Modular Corner (Weld In)

- 1) Finish: Ground and wheel-a-brated.
- Purpose: to eliminate the need for mitering corners of extrusions.








MC0052 Horizontal Corner

1) Finish: Polished.

MC0061




MC0061 Modular Corner (Weld in)

wheel-a-brated.

2) Purpose: to eliminate the need for mitering the corners of extrusions.


1) Finish: Ground and


MC0063



MC0063 Modular Corner

- Finish: Ground and wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.







MC0071 Modular Corner

- 1) Flnlsh: wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.

MC0075






MC0075 Corner Cover (Weld in)

- 1) Finish: Ground and wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.


MC0076






MC0076 Corner Cover (Weld in)

- 1) Finish: Ground and wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.






MC0077 Corner Cover (Weld in)

- 1) Finish; Ground and wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.


MC0079



MC0079 Corner Cover (Weld in)

- 1) Flnlsh: VFM.
- Purpose: to eliminate the need for mitering the corners of extrusions.


MC0080








MC0080 Corner Cover (Weld in)


- 1) Finish: Wheel-a-brated.
- Purpose: to eliminate the need for mitering the corners of extrusions.









































Oxygen Cylinder Accessories








OA0004


Single Oxygen Cylinder Cup for "Jumbo" sizes

Finish: Inside is bead-blasted.
 Outside is polished.

OA0005 OA0005 Double Oxygen Cylinder Cup for "D" & "E" sizes 1) Finish: Inside is bead-blasted. Outside is polished.



OA0007




OA0007

Single Oxygen Cylinder Clamp for "Jumbo" sizes

- Finish: Inside is bead-blasted.
 Outside is pollshed.
- 2) Use the clamp with part #OA0004. Important: Cup to wall distance is determined by this clamp.

8000AO




8000AO

Double Oxygen Cylinder Clamp for "D" & "E" sizes

- Finish: Inside is bead-blasted.
 Outside is polished.
- Use the clamp with part

 #OA0005. Important: Cup to wall
 distance is determined by this clamp.

OA0009



OA0009 Oxygen Cylinder Holder for "D & E" sizes

- 1) Flnlsh: Pollshed.
- 2) Special Feature: Built-in carry handle.
- 3) Mounting screws furnished.

Duramount Oxygen Bottle Holders



OA1101-D-1

D 4.30" Cylinder: Oxygen Bottle Retention System / Assembly

OA1103-E-1

E 4.30" Cylinder: Oxygen Bottle Retention System / Assembly

OA1102-JD-1

JD 5.30" Cylinder: Oxygen Bottle Retention System / Assembly

OA1107-JD-1

JD 5.30" + .125" Cylinder: Oxygen
Bottle Retention System /
Assembly

ntally

- Mount vertically or horizontally
- Brackets may be mounted side by side
- Minimum of 6 mounting points using 1/4" SS hardware
- Mounting surface must be able to withstand the pull-out force greater than the strength of the mounting hardware

Designed to accommodate steel and aluminum oxygen cylinders including "D", "E", and "Jumbo D" sizes, our all Duramount Oxygen Bottle Holders are specifically designed to meet stringent safety standards, provide secure attachment, and maintain unmatched quality throughout the life of its use. Our Duramounts products are constructed of durable cast aluminum and accommodates almost all oxygen regulator controls. Our brackets have been tested to meet KKK-1822-F and SAE J3043 requirements, and can be mounted both vertically and horizontally. Cylinders not included.

Duramount Fire Extinguisher Holders





OA1104-5LB-FIRE-1

DURAMOUNT "5 LB" Fire
Extinguisher Retention System /
Assembly (4.30" Cylinder)

OA1105-10LB-FIRE-1

DURAMOUNT "10 LB" Fire Extinguisher Retention System / Assembly (5.10" Cylinder)

- Mount vertically or horizontally
- Brackets may be mounted side by side
- Minimum of 6 mounting points using 1/4" SS hardware
- Mounting surface must be able to withstand the pull-out force greater than the strength of the mounting hardware

Designed to accommodate steel and aluminum oxygen cylinders including "D", "E", and "Jumbo D" sizes, our all Duramount Holders are specifically designed to meet stringent safety standards, provide secure attachment, and maintain unmatched quality throughout the life of its use. Our Duramounts products are constructed of durable cast aluminum and accommodates almost all regulator controls. Our brackets have been tested to meet KKK-1822-F and SAE J3043 requirements, and can be mounted both vertically and horizontally. Cylinders not included.

Auto Duramount Oxygen Bottle Holders



OA1201-D-1

Strapless DURAMOUNT "D"
4.30" Cylinder: Oxygen Bottle
Retention System

OA1202-E-1

Strapless DURAMOUNT "E"
4.30" Cylinder: Oxygen Bottle
Retention System

OA1203-JD-1

Strapless DURAMOUNT "JD"

Jumbo 5.30" Cylinder: Oxygen

Bottle Retention System

- Mount vertically or horizontally
- Brackets may be mounted side by side
- Minimum of 6 mounting points using ¼" SS hardware
- Mounting surface must be able to withstand the pull-out force greater than the strength of the mounting hardware

Designed to accommodate steel and aluminum oxygen cylinders including "D", "E", and "Jumbo D" sizes, our all new Auto-Release Duramount Oxygen Bottle Holders are specifically designed to meet stringent safety standards, provide secure attachment, and maintain unmatched quality throughout the life of its use. Our Duramounts products are constructed of durable cast aluminum and accommodates almost all oxygen regulator controls. Our brackets have been tested to meet KKK-1822-F and SAE J3043 requirements, and can be mounted both vertically and horizontally. Cylinders not included.

Auto Duramount Dual Oxygen **Bottle Holder**



- Mount vertically or horizontally
- Mounts into an 11" wide space.
- Minimum of 6 mounting points using ¼" SS hardware
 Mounting surface must be able to withstand the pull-out force greater than the strength of the mounting hardware


OA1205-DUAL-D-1


Dual Strapless DURAMOUNT "D" 4.30" Cylinder: Oxygen Bottle Retention System / Assembly





Designed to accommodate steel and aluminum "D" oxygen cylinder, our all new Auto-Release "Dual" Duramount Oxygen Bottle Holders are specifically designed to meet stringent safety standards, provide secure attachment, and maintain unmatched quality throughout the life of its use. Our Duramounts products are constructed of durable cast aluminum and accommodates almost all oxygen regulator controls. Our brackets have been tested to meet KKK-1822-F and SAE J3043 requirements, and can be mounted both vertically and horizontally. Cylinders not included.


Rubber Gaskets























































































Rub Rail End Caps


RR0001




RR0001 Rub Rall End


 Finish: All exterior surfaces are bright polished.


RR0007 RR0007 #10 CSK (2 PLC.) "STANDARD" Rub Rail End 2,38 2,06 1.44 1) Finish; All exterior surfaces are #10 CSK bright pollshed. ОРПОН-А 0 2) Order "option-A" for one hole in 2.31 the center as shown. -0.13





RR0012 RR0012 RR0012 Rub Rail End 1) Finish: All exterior surfaces are bright polished.


































Siren Speakers

SA1000 Series



SA2000 Series

SA2201




SA2201

Bumper Mounted Siren Speaker with Warning Light

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed for use with a 3" x 7" Light on the '86-'87 Chevy C30 (Installation procedure included).

SA2301




SA2301

Surface Mount Siren Speaker with Warning Light

- Finish: Trim Bezel is polished.
 Cone and Horn are
- Wheel-a-brated.
 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount on a flat surface which prohibits cutting the body (Installation procedure included).

SA2208




SA2208

Surface Mount Siren Speaker for Oscillating Lights

- 1) Finish: Trim Bezel is polished. Cone and Horn are Wheel-a-brated.
- 2) Important: See specs for matching electrical components and requirements.
- 3) SA2208 for use with Code-3 Oscilaser Lights. SA2209 for use with Federal TCL Lights (Installation procedure included).

SA2401






SA2401

Inside-the-Bumper Mount SIren Speaker

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- Important; See specs for matching electrical components and requirements.
- For mounting inside the bumper used on the front of most firetrucks (Installation procedure included).

SA2403




SA2403

Inside-the-Bumper Mount Siren Speaker (10" Tall Bumper)

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- Important: See specs for matching electrical components and requirements.
- For mounting inside the 10" tall bumpers used on the front of some firetrucks (Installation procedure included).


SA2405



SA2405

Inside-the-Bumper Mount Siren Speaker (12" Tall Bumper)

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- 2) Important: See specs for matching electrical components and regulrements.
- 3) Designed as a "front load" mount in the bumper of some firetrucks (Installation procedure included).



SA3000 Series



SA3502



SA3502

Inside-the-Bumper Mount Siren Speaker

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- Important: See specs for matching electrical components and requirements.
- Mounts inside the bumper used on the '92-03 Freightliner FL60 (Installation procedure included).

SA3503



SA3503

Inside-the-Bumper Siren Speaker

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- Important: See specs for matching electrical components and requirements.
- For mounting inside the bumper used on the front of most firetrucks (installation procedure included).

SA3504



SA3504

Inside-the-Bumper Siren Speaker

- Finish: Trim Bezel is polished.
 Cone and Horn are
 Wheel-a-brated.
- Important: See specs for matching electrical components and requirements.
- For mounting inside the bumper used on the '92-03 Freightliner FL60 (Installation procedure included).

SA3801




SA3801

TTB Mount Siren Speaker (SA3800 series) for Standard 2" OD Logo Stickers

Finish: Exterior flange is polished.
 Siren speaker is ball-burnished.
 For "through-the-bumper" mounting with 2" OD Logo Stickers.

SAD3201 SAP3201



SAD SAP3201

E350 Bumper Mount Siren Speaker with 3" x 7" Warning Lights

- 1) Finish: Wheel-a-brated on all surfaces or powder-coated white
- 2) Important: See specs for matching electrical components and requirements.
- 3) Mounts under the headlights on the 1997-02 Ford E350 Van

SAD3801 SAP3801



1) Finish: Exterior flange is polished. Siren speaker is ball-burnished. 2) For "through-the-bumper" mounting on 2008-09 Ford E350 SD series

SAD SADP3801

TTB Siren Speaker for 2008-09 Ford E350 SD series



SAD3802 SAP3802



- 1) Finish: Exterior flange is polished. Siren speaker is ball-burnished.
- 2) For "through-the-bumper" mounting on 2008-09 Ford F350 SD series

SAD SADP3802

TTB Siren Speaker for 2008-09 Ford F350 SD series



SAD3803 SAP3803



- Finish: Exterior flange is polished. Siren speaker is ball-burnished.
- 2) For "through-the-bumper" mounting on 2008-09 International 4300 MaxxForce DT

SAD SADP3803

TTB Siren Speaker for 2008-09 International 4300 MaxxForce DT




SA3804



- Finish: Exterior flange is polished. Siren speaker is ball-burnished.
 For "through the humans" mounting an
- For "through-the-bumper" mounting on 2008-09 International 4300 MaxxForce DT

SA3804 TTB Siren Speaker 2007-08 G3500 Van (for Dual





SAD3805 SAP3805



Finish: Exterior flange is polished.
 Siren speaker is ball-burnished.

 For "through-the-bumper" mouting on 2004-09 Freightliner M2.

SAD SAP3805

TTB Siren Speaker for 2004-09 Freightliner M2 - TTB Mount (SA3800 series)



SAD3806 SAP3806




- Finish: Exterior flange is polished. Siren speaker is ball-burnished.
- For "through-the-bumper" mounting on 2011 Ford F series SD.
- 3) No cutting templates required. Uses existing bumper openings.

SAD3806 SAP3806 TTB Siren Speaker for 2011 Ford F Series SD (SA3800 series)



SAD3807 SAP3807



SAD3808 SAP3808



SAD3809 SAP3809



- Finish: Exterior flange is polished. Siren speaker is ball-burnished.
- For "through-the-bumper" mounting on 2011 Chevy C3500 HD (only - No GMC).
- 3) Cutting templates required.

SAD3809 SAP3809 TTB Siren Speaker for 2011 Chevy C3500 HD (only) Truck (SA3800 series)



SAD3810 SAP3810



- Finish: Exterior flange is polished. Siren speaker is ball-burnished.
- For "through-the-bumper" mounting on 2011 Ford F750.
- 3) Cutting templates required.

SAD3810 SAP3810 TTB Siren Speaker for 2011 Ford F750 Truck (SA3800 series)



SAD3811 SAP3811


Finish: ball-burnished with flange exterior polished.
 Through-the-bumper mount on the 2015 Chevy C3500 only (thru Foglight opening).
 SAP3811 Passenger side shown. SAP3811 Driver side is opposite.
 CT0232 PD template set to aid in marking the speaker cut-out.

SAP3816 SAP3811 SAP3811
Driver / Passenger - Siren Speaker for 2015
Chevy C3500 - TTB Mount (SA3800 series speaker)


SAD3813 SAP3813




SAD3815 SAP3816



SAD3819 SAP3820




SAD3821 SAP3822




SAD3823 SAP3824




SAD3826 SAP3825




SAD3827 SAP3828




SAD3829 SAP3830




SA4000 Series





SA4204 "BehInd-the-Grille" Mount Compact Speaker 1) Finish: Cone and Horn are Ball-burnished. Bracket is Black Powder-Coated. 2) Important: See specs for matching electrical components and requirements. 3) Mounts behind the grille on the '98-'02 Ford Crown Victoria.







SA4209










SA4209

Compact Speaker w/ "U" Shaped Mounting Bracket

- 1) Finish: Cone and Horn are Ball-burnished. Bracket is Black Powder-Coated.
- Important: See specs for matching electrical components and requirements.

SA4210





SA4210

Compact Speaker "BehInd-the-Bumper" Mount, '94-2002 Chevy Camaro


- Finish: Cone and Horn are Ball-burnished. Bracket is wheel-a-brated.
- 2) Important: See specs for matching electrical components and requirements.
- 3) "Behind-the-Bumper" Mount, '94-2002 Chevy Camaro






SA4227-6BHG-A Compact Speaker, w/ Wire Connector and Harness (No Bracket)


- 1. Finish: powder coated black high gloss.
- 2. Compact Speaker, w/ Wire Connector and Harness (No Bracket)





SA4301 SA4301 "Through-the-Bumper" 3,06 Compact Speaker w/ Flat Mounting Flange 7.36-1) Finish: Cone is Ball-burnished. 2,88 Housing is polished. 2) Important: See specs for matching electrical components and requirements. 0.19 3) Designed to mount through the bumper of most firetrucks.







SA4303

"Through-the-Bumper" Compact Speaker

- 1) Finish: Cone and Housing are Ball-burnished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper of the '93-'99 Freightliner FL60.

SA4305 "Through-the-Bumper" Compact Speaker 1) Finish: Cone is Ball-burnished. Housing is polished. 2) Important: See specs for matching electrical components and requirements. 3) Designed to mount through the bumper of the '99 Ford F650, F750.






SA4310

Compact Speaker,
"Through-the-Bumper"
Mount, 2003-05
International 7400

- 1) Finish: Cone is Ball-burnished. Housing is polished.
- 2) Important; See specs for matching electrical components and requirements,
- 3)Compact Speaker,
- "Through-the-Bumper" Mount, 2003-05 International 7400

SA4311







SA4311


Compact Speaker, "Through-the-Bumper" Mount, 2003-05 M2 Freightliner

- 1) Finish: Cone is Ball-burnished. Housing is polished.
- Important: See specs for matching electrical components and requirements.
- 3) Compact Speaker,
- "Through-the-Bumper" Mount, 2003-05 M2 Freightliner w/ pre-cut holes


SA4316 Compact Speaker, "Through-the-Bumper" Mount, 2007-08 G3500 Van (for Dual Center Mount) 1) Finish: Polished cone and exterior flange with interior ball-burnished.








SAD4302 SAP4302








SAD SAP4302

Through-the-Bumper Mount Compact Speaker 99-05 Ford F Serles SD

- Finish: Ball-burnished with cone and flange polished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper on 1999-05 Ford F Series SD

SAD4307 SAP4307






SAD SAP4307

Compact Speaker, Driver, "TTB" Mount, 2002-05 International 4300-4400

- 1) Finish: Ball-burnished with cone and flange polished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper, 2002-05 International 4300-4400

SAD4308 SAP4308





SAD SAP4308

Compact Speaker, DrIver, "TTB" Mount, 2003-05 Chevy C4500

- 1) Finish: Ball-burnished with cone and flange polished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper, 2003-05 Chevy C4500

SAD4309 SAP4309






SAD SAP4309

Compact Speaker, Driver, "TTB" Mount, 2003-05 Ford E550 SD Van

- 1) Finish: Ball-burnished with cone and flange polished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper, 2003-05 Ford E550 SD Van

SAD4312 SAP4312



SAD SAP4312

Compact Speaker, Drlver, "TTB" Mount, 2005 Ford F350 SD

- 1) Finish: Ball-burnished with cone and flange polished.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount through the bumper, 2005 Ford F350 SD

SAD4314 SAP4314




SAD SAP4314

Compact Speaker, "Through-the-Bumper" Mount (2008 Ford F350 SD)

- Finish: Polished cone and polished exterior flange with interior ball-burnished.
- 2) SAD4314 Driver side SAP4314 Passenger side.

SAD4318 SAP4318






SAD SAP4318

Compact Speaker, (2008 International 4300 Maxx-Force DT - TTB Mount)

- Finish: Polished cone and polished exterior flange with interior ball-burnished.
- 2) SAD4318 Driver side SAP4318 Passenger side.

SAD4319 SAP4319



SAD SAP4319

Compact Speaker, (2008 Ford E350 SD Van Chassis - TTB Mount)

- Finish: Polished cone and polished exterior flange with interior ball-burnished.
- 2) SAD4319 Driver side SAP4319 Passenger side.

SAD4321



SAD4321-8FSD-6B

Driver Side Speaker (2008 Ford F Series SD - BTB Mount - Fog Light opening)

SA5000 Series

SA5403 SA5403 Siren Speaker, "Through-the-Bumper" Mount 2003-05 Freightliner M2 - pre-cut holes 1) Finish: Trim Bezel is polished. Cone, Horn and bracket are Wheel-a-brated, 2) Important; See specs for matching electrical components and requirements. 3) Siren Speaker, "Through-the-Bumper" Mount 2003-05 Freightliner M2 - pre-cut holes




Sli "Thro

SA5414

Siren Speaker Assembly, "Through-the-Bumper" Mount (International TerraStar)

1) Finish: Polished exterior flange with interior ball-burnished.

SA5501




SA5501

"Under-the-Bumper" Mount Siren Speaker

- 1) Finish: Trim Bezel is polished. Cone and Horn are Ball-burnished. Bracket is wheel-a-brated.
- 2) Important: See specs for matching electrical components and requirements.
- Designed as an under the bumper mount on most heavy duty vehicles.


SAD5401 SAP5401



SAD SAP5401

Under-the-Bumper Mount Siren Speaker

- 1) Finish: Trim Bezel, Cone, and Horn are Wheel-a-brated.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Designed to mount under the bumper.




SA6004

Dual Siren Speakers "Under-the-Bumper" Mount '2000-04 Ford E350

- 1) Finish: black powder-coated.
- Important: See specs for matching electrical components and requirements.
- 3) Dual Siren Speakers "Under-the-Bumper" Mount '2000-04 Ford E350

SA6011



SA6011

Dual Siren Speakers "Under-the-Bumper" Mount 2005 Ford E350 Van

- 1) Finish; black powder-coated.
- 2) Important: See specs for matching electrical components and requirements.
- 3) Dual Siren Speakers
 "Under-the-Bumper" Mount 2005
 Ford E350 van with center
 bumper holes.






SA6016


Dual Siren Speaker, "Under-the-Bumper" Mount 2008 Ford E350 Van Chassis (Center Mount UTB)

 Finish: Powder coated black.










SA6300 Vertical siren speaker



SAD6301 SAP6301

- 1) Finish: powder coated black
- 2) For "Through-the-Bumper" Mount 2008-11 Sprinter.

SAD SADP6301 Siren Speaker Assembly, "Through-the-Bumper" Mount 2008-11 Sprinter4300



SAD6302 SAP6302


- 1) Finish: powder coated black
- For "Through-the-Bumper" Mount 2008-11 Sprinter with the smaller DEF Tank option.

SAD SADP6302 Siren Speaker Assembly, "Through-the-Bumper" Mount 2008-11 Sprinter4300 with small DEF Tank





SAD6303 SAP6303




SA7000 Series


SA7001




SA7001 Round Siren Speaker


1) Finish: Light Gray or Wheel-a-brated. Cone finish is light gray (Wheel-a-brated), painted, or polished.
2) Important: See specs for matching electrical components and regularements.





SA7004 SA7004 Rectangular SIren Speaker with Mounting Flange 1) Finish: Light Gray or Wheel-a-brated. Cone finish is light gray (Wheel-a-brated), painted or polished. 2) Important; See specs for matching electrical components and requirements,








SA7010

Siren Speaker for International C4700 Bumper Holes


- 1) Finish: Ball-burnished.
- Important: See specs for matching electrical components and requirements.
- Mounts to the 4" x 6" holes found in the chrome plated bumpers on the International C4700 Heavy Duty Trucks.

SA7011





SA7011 Siren Speaker


- 1) FlnIsh; Black Powder-Coated,
- 2) Important; See specs for matching electrical components and requirements.
- 3) Speaker Driver and Short screw-on tip only.





- Push-Bar Mount Siren Speaker for 3" x 7" Warning Lights
- 1) Black powder coated or Wheel-a-brated (Light Gray).
- 2) Important: See Specs for matching electrical components and requirements.
- 3) Application: Mounts to the Push-bar between the uprights and uses an optional adjustable bracket for supporting the driver weight (to help eliminate vibration). Different brackets for other vehicle applications can be made upon request.















SP2003

Surface Mount Step with Pyramid Tread


- 1) Finish: All outside surfaces are polished. Inside is bead-blasted.
- Designed to use a Weldon
 clear light mounted at a 45° angle (optional).

SP2003-B




- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2003-B Surface Mount Step (5-1/4" x 8", Pyramid) w/ LED Light



SP2004



SP2004

Surface Mount Step w/ Light with Pyramid Tread

- Finish: All outside surfaces are polished. Inside is bead-blasted.
- 2) Designed to use a Weldon 2030 clear light mounted at a 45° angle (optional).
- 3) Designed to meet new 1901-20 Specs.


SP2004-D



- Finish: Exterior surfaces are polished. Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2004-D

Surface Mount Step (8"x 8", Pyramid) w/ LED Light




SP2004-TB



SP2004-TB

Surface Mount Step (8"x 8", Pyramid w/ through holes) w/ LED Light



- Finish: Exterior surfaces are polished. Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.


SP2006 8.0 1.75 1.83 WELDON 203D LT. 3.75 HOLE (4 PLC.)

SP2006

Surface Mount Step w/ Light with Pyramid Tread & Handhold

- Finish: All outside surfaces are polished. Inside is bead-blasted.
- 2) Designed to use a Weldon 2030 clear light mounted at a 45° angle (optional).
- Designed to meet new 1901-20 Specs.

SP2006-B




- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2006-B

Surface Mount Step (8"x 8", Pyramid w/ Handhold) w/ LED Light






SP2007-B




SP2007-B
Surface Mount Step
(8"x 14", Pyramid w/ Handhold)
w/ LED Light




- Finish: Exterior surfaces are polished. Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2008 SP2008 Surface Mount Step w/ Light with Pyramid Tread 1) Finish: All outside surfaces are polished. Inside is bead-blasted. 2) Designed to use a Weldon 2000 Series light mounted at a 0° angle (vehicle body is mounted at a 9.48° angle). 3) Polished scuff plate available.




SP2009-B



SP2009-B
Surface Mount Step
(8"x 16", Pyramid w/ through holes)
w/ LED Light

- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
 Supplied w/ LED light (WL0501 type)
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.





SP2010-B

(8)

Finish: Exterior surfaces are polished.
 Inside is ball-burnished

 Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2010-B

Surface Mount Step (8"x 12", Pyramid w/ through holes) w/ LED Light



SP2011 1.75 5.60 8.00 1.75 6.50 6.00

SP2011

Surface Mount Step w/ Light with Raised Tread & Handhold

- Finish: All outside surfaces are pollshed.
- Designed to mount a Weldon 2030 clear light mounted at a 45° angle (optional).
- Designed to meet new 1901-20 specs.
- 4) Raised "Open" tread design.

SP2011-C





- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2011-C


Surface Mount Step (6-1/2"x 8", Raised w/ Handhold) w/ LED Light







and mounting screws.




SP2013-B



- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2013-B Surface Mount Step (5-1/8"x 10", Raised) w/ LED Light





SP2014-B




- Finish: Exterior surfaces are polished. Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.

SP2014-B

Surface Mount Step (11"x 14", Raised w/ Handhold) w/ LED Light






SP2016-B





- Finish: Exterior surfaces are polished.
 Inside is ball-burnished
- Supplied w/ LED light (WL0501 type), SP0007 adapter casting for LED, and mounting screws.


SP2016-B


Surface Mount Step (8"x 14", Raised w/ Handhold) w/ LED Light


















SP2027







SP2027 Left Inside Corner Step

 Finish: outside surfaces are polished.

SP2028








SP2028 Right Inside Corner Step


Finish: outside surfaces are polished.


SP2029 SP2029 Ladder Step w/ Ralsed Tread 1,50 1,5

































SP2701-1 8" x 8" Surface Mount Step w/ upper & lower LED lights (AH0225 - MKL375-3W w/ 22 gauge wire) 1) Finish: Ball-burnished casting w/ polished front band and sides 2) Uses two AH0225 LED Lids for upper and lower illumination 3) Cast in hand-hold 4) Shipped assembled
















SP4401



SP4401 Folding Step w/ Hand-Hold & Pyramid Tread

- Finish: Edges are pollshed. All other surfaces are bead-blasted or ball-burnished.
- Designed to fold-up when not in use and to exceed the requirements of 1901 & 1904-91 specs requiring 500 lbs. minimum load, 35 square inch area, 8" depth, etc....


SP4410







SP4410-1CH-LED

2" Round Logo - Folding Step Assembly w/ LED Lights x2





- Finish: Exterior surfaces are bright polished, then chrome plated to CASS 24 specifications.
- Incorporates upper and lower mount LED lights to illuminate step platform and underneath the step assembly.
- Use standard 2" diameter self adhesive logo's for customer user look.








Shelf Supports

















SS0005 Shelf Support Bracket

1) Finish: Wheel-a-brated.





SS0018




SS0018 Angled Tube Brace

1) Finish: Wheel-a-brated.

Angle: 135°


SS0019



SS0019 Tube Splice Connector

1) Finish: Wheel-a-brated.

SS0022








SS0022


Rear Ladder Mounting Block


Finish: all exterior surfaces are ball-burnlshed.
















































































TMC1027



TMC1027-1

Assembly - Rotary Molded Wheel Chock Holder, Face Trim and Bungee Cord Retainer

- 1) Finish: Trim is polished.
- 2) wheel chocks not included.




TMC1039




TMC1039-1


Assembly - Rotary Molded Wheel Chock Holder w/ 112.5 Corners Face Trim


- 1) Finish: Trim is polished.
- 2) wheel chocks not included.



















STC0001

STC0001

STC0001

Post Cup (squad bench mounted)
1) Finish: Polished exterior.


STC0002



STC0002 Elevated Post Cup (Squad Bench Mounted)

- 1) Finish: All exterior surfaces are polished.
- Provides additional stretcher helght for thicker squad bench cushlons.

STC0004



STC0004 Post Cup (Squad Bench Mounted)


 Finish: All exterior surfaces are polished.


STC0005 1) Finish: Polished exterior. 2) For 4" wheel casters Wheel Cup (squad bench mounted)


STC0006 5.00 R2.00 P10 CLR (2 PLC.)


STC0006 Elevated Wheel Cup (Squad Bench Mounted)

- 1) Finish: All exterior surfaces are polished.
- Standard for stretcher with 4" diameter casters.
- Provides additional stretcher height for thicker squad bench cushlons.










Stretcher Hangers

STH2001 thru STH2009



1 5/8"

1 5/8"

STH2001 -STH2009

Ceiling Stretcher Hanger with Positive Retention Latch

- 1) Finish: Designed with a positive retention latch for security when in use.
- 2) STH2001 STH2005: 1 1/8" inside radius hook (Commercial). STH2006 STH2009: 1 5/8" Inside radius hook (GSA).


STH2010 thru STH2017

STH2008

STH2009

20"

23"




STH2010 -STH2017

Ceiling Stretcher Hanger

- 1) Hook is permanently attatched to celling hanger to prevent misplacement or loss.
- Rubber Inserts In storage slide minimize friction and vibration noise.
- 3) Hook made of 3/8" 6061-T6 aluminum rod.
- 4) Finish; all parts are polished.
- 5) Radlused edges and corners for safety.


STH2018



STH2018 Stretcher Hook

- 1) Hook made of 3/8" 6061-T6 aluminum rod.
- Finish: all parts are polished.
- Swivel Hook to allow storage against the wal then not in use.

STH2019




STH2019

Positive Retention Wall Hook 1 1/8" ID (Commercial)

- 1) Finish: All parts are polished.
- 2) Provides positive retention hook and a latch to support stretcher, to keep stretcher from bumping out of hook.

STH2020




STH2020

Positive Retention Wall Hook 1 5/8" ID (Commercial)


- 1) Finish: All parts are polished.
- 2) Provides positive retention hook and a latch to support stretcher, to keep stretcher from bumping out of hook.


STH2021




STH2021 Removable Cablnet Bracket


- 1) Holds part STH2020 when In use.
- 2) Removable bracket for storage when not in use.
- 3) Finish: bead-blasted.

























Vent Covers












LED Lights and Accessories



Surface Mount LED Marker Lights, & Light Guards Available in Clear, Red and Amber DOT/SAE Compliant



Part Numbers, Descriptions and Electrical Performance

Part No.	Desc.	# of led	Color	Current at 13.8 Vdc	
WL0501-R-	A Marker Lamp	2	Red	60 mA (0.06 Amps)	
WL0501-A-/	A Marker Lamp	2	Amber	60 mA (0.06 Amps)	
WL0501-C-	A Marker Lamp	2	Clear	30 mA (0.03 Amps)	
WL0501-TRIM Details see below					



WL0501-TRIM-N 67.3L x 33.3W x 20.6H Bright Stainless Steel

WL0501-TRIM-W 67.3L x 41.2W x 20.6H Bright Stainless Steel

71.6L x 34W x 7.6H Rubber

WL0501-GASKET-R WL0501-TRIM-A WL0501-TRIM-B 81L x 44W x 9H 100L x 36W x 10H 89.4L x 52W x 21.3H Chrome Plated Plastic

LH91102 Chrome Plated Alum

- Height dimensions do not include gasket thickness. Add approximately 2.5 mm
- All Trim Guards and Marker lights are supplied with gaskets
- All Marker lights have 12" lead wires
- The marker lights comply with requirements of the US DOT 03 and SAE P2P3
- Mounting hardware not included



Warranty and Returns

Warranty: General products;

Cast Products, Inc. (CPI) warrants all aluminum castings, stainless steel stampings, aluminum extrusions, rubber or plastic molded products manufactured by CPI to be free of defects due to material and or workmanship sixty days from the CPI shipping date. This warranty does not cover ordinary wear, negligence, alterations or deterioration of surface finish due to lack of cleaning and or polishing in normal use. It is the responsibility of the purchaser / owner to routinely clean and polish the surface of the product to maintain the original shine and luster as delivered.

Warranty: Siren speaker drivers;

Cast Products, Inc. (CPI) warrants all new siren speaker drivers for a period of two years under normal use and service, from the marked product date code to the end user. This warranty does not cover speaker drivers subjected to abuse, misuse, improper operating voltage, modifications or incorrect installations. This warranty does not cover deterioration of the speaker housing surface finish beyond the sixty days as stated for aluminum castings. It is the responsibility of the purchaser / owner to routinely clean and polish the surface of the product to maintain the original shine and luster as delivered.

Warranty: Chrome plated and powder coated castings;

Cast Products, Inc. (CPI) warrants all chrome plated and powder coated castings manufactured by CPI to be free of defects due to material or workmanship for a period not to exceed one (1) year from the CPI shipping date. This warranty does not cover ordinary wear, negligence, or alterations made by the purchaser or deterioration of surface finish due to lack of cleaning and or polishing of the material in normal use. It is the responsibility of the purchaser / owner to routinely clean the surface of the product to maintain the original shine and luster as delivered.

Warranty: Lights / LED Lights;

Cast Products, Inc. (CPI) warrants Lights / LED Lights to be free of defects due to material or workmanship for a period not to exceed one (1) year from the CPI shipping date (Supplier Warranty).

Product Returns Policy:

No product may be returned for credit without the prior authorization from Cast Products, Inc. (CPI). Contact CPI at returns@getcpi.com for a return authorization number to insure proper crediting to your account. Any product returned without the return authorization will be returned freight collect. A minimum restocking fee of 25% may apply. Returns will be inspected for improper packaging and shipping damage and at CPI's discretion; a charge for repairing or refinishing may apply.

This warranty does not cover travel expenses, the cost of specialized equipment for gaining access to the product, or labor charges for removal and re-installation of the product.

Index

A D0001	1.0	DU0011 30	FA0022 CF	EC000C 2 Cd Lade 02
AD0001 AD0002	-	DH001139 DH0016 and -A40	FA003265	FG0006-2_Cyl_Lock93
AD0002		DH0016 and -A40 DH0017 and -A40	FA003566	FG0006-2_Friction94 FG050195
AD0003			FA003666	FG090195
		DH0018 and -A41	FA003769	FG150195
AD0005		DH0019 and -A41	FA003970	
AD0006		DH0020 and -A42	FA004067	FG180196
AD0007		DH0022 and -A42	FA004167	FG200197
AD0008		DH002443	FA004268	FG210197
AD0009		DH002543	FA004369	FG210298
AD0010		DH002843	FA004470	FG210398
AD0011		DH002944	FA004571	FG210499
AD0012		DH003044	FA200271	FG220199
AD0013	20	DH003144	FA200372	FG2204100
AD0014	20	DH003245	FA200472	FG2205100
AD0015	20	DH003345	FA200572	FG2206101
AD0016	21	DH003645	FA200673	FG2207102
AD0017	21	DH0041 and -A46	FA2011-5 FA2011-5-A73	FG2208102
AD0018	21	DH004246	FA400374	FG3001103
AD0019		DH004347	FA400474	FG3101103
AD0020		DH004647	FA400574	FG4101103
AD0021		DH005048	FA400775	FG4102 104
AD0022		DH005148	FA400875	FG4103104
AD0022		DH005249	FA401075	FG4104104
AD0025		DH0052-B49	FA401075	FG4201105
AD0025		DH0052-B50	FA401176	FG4202 105
				FG4204 106
AD0027		DH005450	FA401376	
AD0028		DH005851	FA401477	FG4205107
AD0029		EB000151	FA4014-A77	FG4501108
AD0030		EB000252	FA401578	FG4502108
AD0032		EB000352	FA4015-A78	FG4503 109
AD0034		EB000452	FA401679	FG4504109
AD0035		EB000553	FA4016-A79	FG5301110
AD0037		EB000653	FA401880	FG5302110
AD0038		EB000753	FA500180	FG5303110
AD0039	28	EB000854	FA500281	FG5304111
AD0040	29	EB000954	FA500381	FG5305111
AD0042, AD0042-C,	AD0042-	EB00155	FC400282	FG5306112
L	29	EB001055	FC400382	FG5307112
AD2001	30	EB001256	FC400482	FG5308112
AD2002	31	EB001356	FC400583	FG5309113
ADC0141	32	EB001457	FD100283	FG5310113
ADM0001	32	EB001558	FD100483	FG5501113
ADM0002	33	EB001659	FD100584	FG5502114
ADM0004		EB001760	FD100684	FG5503114
BC0001		FA000260	FD100784	FG5504115
BC0002		FA000461	FD100885	FG5701115
BC0003	_	FA000661	FD100986	FG5703116
BC0006		FA001262	FD101086	FG5704117
BC0010		FA001362	FD101187	FG6501117
BC0010		FA001362	FD101187	FGL0022 FGL0042 FGL0053
BC0012		FA001863	FD101287	
				118
BC0013		FA002063	FD101488	FGT0022 FGT0042 FGT0053
BCH0001		FA002163	FD101589	119
BCH0002		FA002664	FD101689	FR0001
DH0001		FA002764	FD101790	FR0006120
DH0002		FA002864	FG000190	FR0009120
DH0006		FA002965	FG0002-A91	FR0010121
DH0007		FA003068	FG0002-B91	FR0011 121
DH0008	39	FA003165	FG000392	

FR0012		LB0011151	LH37202179	LH37736209
FR0013		LB0013151 LB0019151	LH37203179	LH37737210 LH37738210
FR0014			LH37205180	
FR0015		LB0020152 LB0021152	LH37206180 LH37208180	LH37739210 LH37744211
FR0021		LB0021152 LB0022152	LH37208180 LH37209181	LH37744211 LH37745211
FR0025		LB0023153 LB0024153	LH37210181 LH37213181	LH37746 LH37747 211 LH37748 LH37749 212
FR0026		LB0024153 LB0025-A153	LH37213181 LH37214182	LH37750 LH37751212
FR0027	== :	LB0025-B154	LH37225 LH37226182	
FR0028		LB0025-B154 LB0026154	LH37225 LH37226182 LH37227 LH37228183	LH37752 LH37753 212 LH37754 LH37755 213
FR0030		LB0028154	LH37229 LH37230183	LH37756 LH37757213
FR0041		LB0029155	LH37231 LH37232184	LH37758 LH37759213
FR0043		LB0031155	LH37233 LH37234185	LH37762 LH37763 214
FR0044		LB0032155	LH37235 LH37236186	LH37764 LH37765214
FR0045		LB0032156	LH37237 LH37238180	LH37766 LH37767215
FR0046		LB0034156	LH37239 LH37240188	LH37768 LH37769215
FR0047		LB0041-A157	LH37241 LH37242189	LH37770 LH37771216
FR0048		LB0041-B158	LH37243 LH37244199	LH37772 LH37773216
FR0049		LB0041-B158	LH37245 LH37246191	LH37774 LH37775217
FR0051		LB0048159	LH37247 LH37248192	LH37776 LH37777217
FR0052		LB0049-A160	LH37251193	LH37778 LH37779218
FR0054		LB0049-B160	LH37252193	LH37780 LH37781218
FR042		LB0051 LB0052161	LH37253 LH37254194	LH37782 LH37783219
FR1004		LB0053 LB0054161	LH37301194	LH37784 LH37785219
FR101294021		LB0057 LB0058162	LH37501194	LH37786 LH37787220
FR101294022		LB0059 LB0060163	LH37502195	LH37788 LH37789221
FS0002		LH0010164	LH37607195	LH37790 LH37791221
FS0003	-	LH10101164	LH37611195	LH37792 LH37793 222
HD0002		LH10201165	LH37612196	LH37794 LH37795 222
HD0005		LH14701165	LH37620196	LH37796 LH37797223
HD0007		LH14702165	LH37621196	LH37798 LH37799223
HD0008		LH20101166	LH37630197	LH37M101224
HD0009		LH20103166	LH37631197	LH37M601 LH37M602 224
HD0010	137	LH20104167	LH37632197	LH37M705 LH37M706 225
HD0011		LH20105167	LH37633198	LH46001225
HD0012	138	LH20201167	LH37638198	LH46103226
HD0013	138	LH20205168	LH37639198	LH46104226
HD0015		LH20206168	LH37640199	LH46105 226
HD0016	139	LH23201169	LH37641199	LH46106 227
HD0019	139	LH23202169	LH37642199	LH46107 227
HD0020	140	LH23501169	LH37643200	LH46109 227
HD0022	140	LH32101170	LH37646200	LH46110228
HD0027	140	LH32102170	LH37647200	LH46111 228
HD0028	141	LH32201171	LH37650 LH37651201	LH46112228
HD0029	141	LH32301171	LH37656 LH37657201	LH46113229
HD0030	141	LH34203172	LH37658 LH37659201	LH46114229
HD0031	142	LH34M4701 LH34M4702.172	LH37662 LH37663202	LH46115229
HD0035	142	LH35101173	LH37664 LH37665202	LH46116230
HD0041	142	LH35202173	LH37666 LH37667203	LH46117 230
HD0045	143	LH35603173	LH37668 LH37669203	LH46118230
HD0046	143	LH35604174	LH37670 LH37671204	LH46119231
HD0047	144	LH35703174	LH37672 LH37673204	LH46120231
HD0050 HD0051	144	LH35704174	LH37674 LH37675205	LH46121 231
HD0052	145	LH35709 LH35710175	LH37676 LH37677205	LH46122232
HD0053		LH37008175	LH37678 LH37679206	LH46123232
HD4001-1		LH37101175	LH37701206	LH46124232
HD4002-1	-	LH37102176	LH37702207	LH46125 233
IV2001		LH37104176	LH37703207	LH46126233
IV2002		LH37105176	LH37712207	LH46127233
IV2007		LH37106177	LH37713208	LH46128234
IV2008		LH37107177	LH37722208	LH46129234
LB0004		LH37108177	LH37723208	LH46130234
LB0005		LH37109178	LH37734209	LH46131235
LB0006		LH37201179	LH37735209	
(20001 C (D 1	. I A 11 TO 1	: L D 1	=	

LH46132 235	LH90201262	OA1101 OA1102 OA1103	SA3801	312
LH46201 235	LH90301262	OA1107287	SA3804	
LH46202236	LH90405263	OA1104 OA1105288	SA4201	
LH46301236	LH90504263	OA1201 OA1202289	SA4204	
LH46501	LH90603263	OA1201 OA1202289	SA4206	
LH46502237	LH90902264	PL1015133	SA4208	
LH46601237	LH91102264	PL1016134	SA4209	
LH46602237	LH91201264	PL1017135	SA4210	
LH46603 238	LH91203265	RG0005291	SA4225	
LH46604 238	LH91401265	RG0007291	SA4226	
LH46707 238	LP0002265	RG0013291	SA4227	326
LH46708 239	LP0002-C266	RG0014292	SA4301	326
LH46709 239	LP0004266	RG0015292	SA4303	327
LH46710 239	LP0004-B267	RG0016292	SA4305	327
LH52001 240	LP0005267	RG0017293	SA4306	327
LH52501 240	LP0005-C268	RG0020293	SA4310	328
LH52503 241	LP0007268	RG0021293	SA4311	328
LH52605 LH52606 241	LP0009269	RG0025294	SA4316	
LH52609 LH52610 242	LP0013269	RG0026294	SA4317	329
LH52611 LH52612 242	LP0014270	RG0030294	SA4401	
LH52615 LH52616 243	MC0001270	RG0033295	SA4402	
LH52617 LH52618 243	MC0003271	RG0034295	SA5403	
LH52619 LH52620 244	MC0005271	RG0035295	SA5403	
LH52621 LH52622 244	MC0010271	RG0036296	SA5501	
LH52623 LH52624 245	MC0011272	RG0037296	SA6004	
LH52625 LH52626 245	MC0017272	RG0040296	SA6011	
LH52627 LH52628 246	MC0021272	RG0043297	SA6016	
LH52703246	MC0023273	RG0048297	SA6113	
LH52704 247	MC0026273	RG0050297	SA6114	336
LH52707 LH52708 247	MC0027273	RG0057298	SA6117	337
LH52709 LH52710 248	MC0028274	RG0063298	SA6118	338
LH52711 LH52712 248	MC0033274	RG0064298	SA6300	339
LH52713 LH52714 249	MC0037274	RG0076299	SA7001	341
LH52715 LH52716 249	MC0052275	RG0077299	SA7001-A	342
LH52717 LH52718 250	MC0061275	RG0078299	SA7003	342
LH52719 LH52720 250	MC0063275	RG0079300	SA7004	343
LH58201 251	MC0071276	RG0080300	SA7006	343
LH79101 251	MC0075276	RG0081300	SA7007	343
LH79102 251	MC0076276	RR0001301	SA7010	344
LH79103 252	MC0077277	RR0007301	SA7011	344
LH79104 252	MC0079277	RR0010301	SA7101	345
LH79105 252	MC0080277	RR0012302	SAD3201 SAP3201	312
LH79106 253	MC0083278	RR0013302	SAD3801 SAP3801	
LH79107 253	MC0089278	RR0014302	SAD3802 SAP3802	
LH79108 253	MC0090278	RR0024303	SAD3803 SAP3803	
LH79110 254	MC0091279	RR0027303	SAD3805 SAP3805	
LH79201254	MC0094279	RR0034303	SAD3806 SAP3806	
LH79202	MC0094279	RR0035 RR0036304	SAD3800 SAP3800	
LH79205 255	MC0097280	RR0037 RR0038304	SAD3807 SAP3807	
LH79207 255	MC0098281	RR0040 RR0041305	SAD3809 SAP3809	
LH79209 255	MC0099281	RR0042305	SAD3810 SAP3810	
LH79210 256	MC0101282	RR0043306	SAD3811 SAP3811	
LH79211256	MC0102282	RR0044306	SAD3813 SAP3813	
LH79215 LH79216 256	MC0103283	SA1502307	SAD3815 SAP3816	
LH79217 LH79218 257	MC0104283	SA2201308	SAD3819 SAP3820	
LH79219 LH79220 257	MC51145284	SA2208308	SAD3821 SAP3822	
LH79221 LH79222 258	OA0002284	SA2301308	SAD3823 SAP3824	320
LH79223 LH79224 259	OA0003284	SA2401309	SAD3826 SAP3825	
LH79225 LH79226 259	OA0004285	SA2403309	SAD3827 SAP3828	321
LH79227 LH79228 260	OA0005285	SA2405309	SAD3829 SAP3830	322
LH79229 LH79230 260	OA0006285	SA3203310	SAD4302 SAP4302	330
LH79301261	OA0007286	SA3501310	SAD4307 SAP4307	330
LH79302261	OA0008286	SA3502310	SAD4308 SAP4308	330
LH79304 261	OA0009286	SA3503311	SAD4309 SAP4309	
LH79311 262		SA3504311		

SAD4312 SAP4312 331	SP2016-B359	SS0007375	TMC0024381
SAD4314 SAP4314 331	SP2017360	SS0014375	TMC0027382
SAD4318 SAP4318 332	SP2018360	SS0018376	TMC0053382
SAD4319 SAP4319 332	SP2023360	SS0019376	TMC0054383
SAD4321 333	SP2024361	SS0022376	TMC0056383
SAD5401 SAP5401 334	SP2025361	SS0025377	TMC0058384
SAD6007 SAP6007 339	SP2026361	SS0028377	TMC0060384
SAD6301 SAP6301 340	SP2027362	SS0031377	TMC0062385
SAD6302 SAP6302 340	SP2028362	SS0034378	TMC0069386
SAD6303 SAP6303 341	SP2029362	SS0037378	TMC0086386
SH0001 346	SP2030363	SS0038379	TMC0090387
SP0003346	SP2032363	SS0039379	TMC1007388
SP0004347	SP2033363	SS0040380	TMC1008388
SP2001347	SP2034364	SS0041380	TMC1009389
SP2002347	SP2035364	STC0001399	TMC1010389
SP2003348	SP2036365	STC0002400	TMC1012390
SP2003-B 348	SP2037365	STC0004400	TMC1025391
SP2004349	SP2038366	STC0005400	TMC1026392
SP2004-D 349	SP2041366	STC0006401	TMC1027393
SP2004-TB 350	SP2042367	STC0008401	TMC1039393
SP2006350	SP2043367	STC0014401	TMC1040394
SP2006-B 351	SP2701368	STC0017402	TMC1043395
SP2007351	SP2702368	STC0019402	TMC1044396
SP2007-B 352	SP2901369	STH2001 thru STH2009 403	TMC1045397
SP2008 352	SP3001369	STH2010 thru STH2017403	TMC1046397
SP2009 353	SP3002370	STH2018404	TMC1048398
SP2009-B 353	SP3003370	STH2019404	TMC1049398
SP2010354	SP4301370	STH2020404	TMC1050399
SP2010-B 354	SP4401371	STH2021405	TRR0002307
SP2011355	SP4410371	STH2022405	VC0001409
SP2011-C355	SP4500372	STH2023406	VC0002410
SP2012356	SP6610372	STH2024406	VC0003410
SP2012-D 356	SS0001373	STH2025407	VC0004410
SP2013357	SS0001-A -B -C -D -E373	STH2026407	VC0007411
SP2013-B 357	SS0002374	STH2027408	WL0501 series LED lights and
SP2014358	SS0003374	STH2028408	accessories412
SP2014-B 358	SS0004374	STH2029409	
SP2016359	SS0005375	TA4100381	